

GEVES

PRICE LIST 2025

Field & Forage

Variety and Seed Study and Control Group



GEVES

Expertise & Performance


























www.geves.fr



GEVES

Expertise & Performance

SUMMARY

	GEVES in a few words	3
	Role and quality	4
	Place an order	5
	Your contacts at GEVES	6
	Supply of samples to the SNES	7
	Order an analysis	9
	All Species	10
	Beets - Chicorys - Potatoe	14
	Protein crops	18
	Cereal	23
	Fodder plants	28
	Seed mixture species	35
	Fiber plants	36
	Corn and sorghum	38
	Oil plants	41
	Micro-cleaning	45
	Cytology	46
	Radiography 2D and tomography	47
	Biostimulation, Biocontrol, evaluation of treatment	48
	Disease test supplies : inoculum and reference material	50
	Sector support	51
	Terms and Conditions	52
	Publications	53

GEVES: A unique & official organisation in France

GEVES is a **Public Interest Group** with three founding partner organisations:



✓ The French National Research Institute for Agriculture, Food and Environment (INRAE) - 60%



✓ The French ministry of Agriculture, Food Sovereignty and Forestry (MASAF) - 20%



✓ The French Interprofessional Organisation for Seeds and Plants (SEMAE) - 20%

This unique set-up ensures GEVES's **independence** and **neutrality** in carrying out its activities in accordance with its regulatory and official missions and mandates. The union of state, Research and sector expertise ensures that all aspects of the sector are fully taken into account.


Governance of GEVES

GEVES's Executive Board of Directors is composed of 14 members:

- 6 representatives from INRAE
- 2 representatives from the Ministry of Agriculture and Food
- 2 representatives from GNIS
- 2 staff representatives from GEVES
- The President of the CTPS

as well as a government controller (Ministry of Research) and a State Controller.

Organisation of GEVES's operating divisions



GEVES's missions

GEVES has official, regulatory missions and carries out testing activities and methodological development which is necessary for:

- ▶ National listing of new varieties in the Official French Catalogue
- ▶ Plant variety protection
- ▶ Official seed testing as part of its NRL mandates for seeds, GMOs. and plant health (RNQP-matrix seeds)

GEVES is also responsible for the national coordination of plant genetic resources on behalf of the Ministry of Agriculture.

GEVES is the National Reference Laboratory for:

- ▶ GMO detection in maize (seed) and soya, rapeseed and flax (seed and vegetative parts) by Decree of 19 octobre 2015
- ▶ quality testing of seeds and propagating material by Decree of 1 March 2017
- ▶ plant health by Decree of 20 November 2020

GEVES is an approved laboratory for certain seed health quality tests

GEVES is accredited by ISTA for all species. It carries out official testing, particularly for seed exports: Orange and Blue International Certificates (OIC and BIC).

- ▶ GEVES makes its specialised expertise openly available to the plant and seed sectors, providing high-quality services to a range of private customers, results that may be used for phytosanitary certificates or passports.

Activities

To carry out its missions, GEVES performs a wide range of activities:

- ▶ Description of varieties and evaluation of genetic progress
- ▶ Quality testing for seeds and seedlings
- ▶ Methodological research
- ▶ Management of plant genetic resources
- ▶ Training courses
- ▶ Exams
- ▶ Consulting and expertise
- ▶ International cooperation
- ▶ Monitoring of the French network of seed testing laboratories
- ▶ Organisation of Proficiency Tests (PT)
- ▶ Communication
- ▶ Expertise
- ▶ Inoculum production
- ▶ Analysis to evaluate the efficiency of treatment products
- ▶ Evaluation of varieties

FOCUS



Quality, Recognition & Accréditation

GEVES benefits from a global and harmonised Quality Management System and is recognised as follows:

- ▶ Certification ISO 9001 – BioGEVES and VCUS variety testing (Value for Cultivation, Use and Sustainability) since 2009
- ▶ Accreditation of GEVES's SNES and BioGEVES laboratories by COFRAC according to ISO 17025 standard:
 - GEVES Beaucauzé: COFRAC N°1-1316 since 2002.
 - GEVES Le Magneraud: COFRAC N°1-6176 since 2004.
- ▶ Accreditation by ISTA since 2001 (N°FRDL0200) for seed testing

Place an order ●

Seed quality testing at

SNES



ORDER YOUR ANALYSE ONLINE

Enter your order on <https://dsn.geves.fr/dsn2>
Join the order summary and attach it to your sample

For faster processing of your request, please order online



ORDER YOUR ANALYSE BY POST

Complete the form corresponding to your order (OIC request or analysis order form) and join the form to your sample



SEND YOUR SAMPLES

GEVES - Service clients SNES

GEVES - Service clients SNES
3 rue Henri Becquerel - CS 90024
49071 Beaucouzé Cedex
FRANCE

Biomolecular and biochemical testing at

BioGEVES



ORDER YOUR ANALYSE ONLINE

biogeves.analyses@geves.fr



SEND YOUR SAMPLES

Detection unit

BioGEVES
25 rue Georges Morel - CS 90024
49071 Beaucouzé Cedex
FRANCE

Genotyping/biochemistry unit

BioGEVES - Le Magneraud
CS 40052 - Saint-Pierre d'Amilly
17 700 Surgères
FRANCE

Variety testing at **SEV**



REQUEST A DENOMINATION TEST

christelle.godin@geves.fr



REQUEST A FIELD TEST DUS (Distinction Uniformity Stability)

celine.delarue@geves.fr

GEVES - Service clients SEV
25 rue Georges Morel - CS 90024
49071 Beaucouzé Cedex
FRANCE

Your contacts at GEVES

To contact a GEVES staff member by email: firstname.surname@geves.fr - area code number: +33(0)

Sector support :
Training, ILC,
Audits...

Thibaut
Decourcelle



Fabienne
Brun



SNES / LNR :

LNR lnr.semences@geves.fr
EIL : eil.semences@geves.fr
TRAINING : formation.semences@geves.fr
AUDIT : audit.semences@geves.fr

Caroline
Le Quilliec
05 17 06 96 12



BioGEVES :

Rachel
Tessier
02 41 22 85 93



SEV :

SNES Customer service:

service.clients@geves.fr - 02 41 22 58 28



Virginie
Bettker



Aurélie
Robert



Annie
Saussaye

- Information enquiries
- Analysis tracking
- Quotes
- Claims

SNES Direction:



Director
Clotilde Polderman-Roussille



Assistant
Estelle Bertel

SNES Technical contacts:



Head of customer service and sampling
Alice Richard Jolly



Head of Physical Analysis Laboratory
Aurélie Charrier

- Radiography 2D/3D
- Purity
- Moisture content
- Botanic, Micro-cleaning

Sherif Hamdy
Philippe Pannetier
Céline Herbert
Diogo Tobolski



Head of Germination Laboratory
Sylvie Ducournau

- Cereals, Oilseeds, Protein crops species
- Vegetables, Ornamentals, Forages, Industrials species

Valérie Blouin
Pierre Soufflet



Head of Pathology Laboratory
Jaiana Malabarba

- Seed health
- Varietal resistance
- Seed treatment evaluation
- Inoculum production

Isabelle Serandat / Laurent Guyot
Sophie Perrot
Service client SNES
Thomas Lévêque

BioGEVES :

biogeves.analyses@geves.fr



Director
René Mathis
02 41 22 58 34



Customer relationship
Caroline Le Quilliec
05 17 06 96 12



Detection unit
Amandine Lê Van
02 41 22 58 39



Biochemistry unit
Patricia Lem
05 17 06 96 13



Genotyping unit
Arnaud Remay
05 17 06 96 17

SEV :



Director
Fabien Masson
02 41 22 85 91



Céline Delarue
02 41 22 86 00
Field trials



Christelle GODIN
02 41 22 86 93
Denomination tests

Supply of samples to the SNES

The information listed on the SNES analysis order form is essential for registering samples.

In the case of treated seeds, the commercial name of the treatment must be declared. No treated samples will be accepted for analysis without this information.

No analysis will be performed on GMO seeds.

The sample size indicated is the minimum size set by the method (larger sizes can be offered).

If you do not have the quantity requested and wish to have the analysis done on all the seeds sent, you must indicate this in your request.

Otherwise, the analysis will be put on hold, and we will contact you. You can then:

- send a new sample
- give us your agreement to carry out the analysis on all the seeds supplied.

Unless indicated differently, the sample size to be provided is expressed in number of seeds.

Please pack your seeds in anonymised bags that are suitable for the quantity of seeds sent, properly sealed and suitable for handling and storage in the laboratory.

Prefer paper packaging rather than plastic in order to limit static electricity.

Ensure that samples are adequately protected during transport. Any sample opened or pierced before analysis will not be accepted.



The SNES always works in compliance with the ISTA Rules, offering the same level of reliability of results, whatever the certificate requested.

Physical quality: provide the minimum weights prescribed by the ISTA Rules, chapter 2.5.4.5. If a counting analysis is requested, provide the weight listed in table 2C column 3. If more than one counting analysis is requested on the same submitted sample, provide the quantities required to perform all the countings.

If only a purity test is requested, provide the seed quantities for the submitted sample according to the following table:

Weight of working sample for purity analysis alone (Table 2C column 4)	Minimum weight of submitted sample for purity analysis (Table Column 4)
Between 500g and 1000g	Minimum working sample weight for purity analysis + 100g
Under 500g	2,5 times the minimum weight of the working sample for purity analysis.

For moisture analysis, the maximum time for receiving the submitted samples is 14 days after seed lot sampling.

Physiological quality: Germination test is carried out on a sample of 400 seeds in accordance with the ISTA Rules. Tests on 200 or 100 seeds are also possible depending on the need for precision. The precision of analyses is indicated in the ISTA tolerance tables.

If a germination test is requested without any specific purity analysis, pure seeds are sorted before the germination test. This analysis is not invoiced except for Grasses (*Poaceae*). This step is an integral part of the ISTA method for the evaluation of germinative faculty.

Quantity to provide for substrate checks (the retest is included in the quantities):

	Top of paper	Rolled	Pleated paper	Sand	Organic growing media
GE-SUB-1	20 sheets	12 sheets	12 sheets	10 kg	8 kg
GE-SUB-2	20 sheets	10 sheets	10 sheets	1 kg	1 kg
GE-SUB-3	16 sheets	10 sheets	2 sheets	1 kg	1 kg
GE-SUB-4	96 sheets	16 sheets	16 sheets	20 kg	10 kg

Supply of samples to the SNES



SEED HEALTH

Submitted sample: Please provide one sample per test requested with the corresponding quantity.

Method for requesting OIC: an ISTA method will be chosen if it exists.

Virology: Certain types of treatment may affect the analysis, seeds should therefore be sent untreated, please indicate this information on your order form.

Mycology:

Medium tests

This test is performed by detection on medium according to the following criteria:

- Without superficial disinfection for most species. If the presence of saprophytes is too high the result will be "undetermined", a new test with superficial disinfection will be proposed.
- With superficial disinfection for species that are known to have saprophytes that can compromise the analysis.

For treated seeds, a test without superficial disinfection is indicated in the price list and will be chosen.

Result indication

As the method allows the detection of several pathogens simultaneously, the main pathogens are in bold in this price list and will always be indicated on the certificate. For pathogens not in bold they will be indicated on the certificate if their presence is high (> 5%) or if they were asked when the analyses were requested.

For any request for detection of other fungi, please contact SNES.

The nomenclature of fungi evolves; we therefore modify the names of pathogens to follow it. We will indicate any pathogen synonyms in brackets in the price list and test results.

In the nomenclature, the genus name is followed by the species. If it is not possible to identify the species, "sp." is indicated, meaning "species not identified".

Special case of *Fusarium*: some species-specific *Fusarium* will remain denominated with the species name (e.g. *F. oxysporum* on cucurbits). The other species will be grouped together by section (see table below).

Current sections	Main species
<i>Roseum</i>	<i>F. avenaceum</i>
<i>Discolor</i>	<i>F. culmorum</i> , <i>F. graminearum</i> (<i>Gibberella zeae</i>), <i>F. sambucinum</i> , <i>F. crookwellense</i>
<i>Arthrosporiella</i>	<i>F. incarnatum</i> (<i>Fusarium semitectum</i>)
<i>Sporotrichiella</i>	<i>F. poae</i> , <i>F. tricinctum</i> (<i>Gibberella tricincta</i>), <i>F. sporotrichioides</i> , <i>F. langsethiae</i>
<i>Gibbosum</i>	<i>F. equiseti</i> (<i>Gibberella intricans</i>), <i>F. acuminatum</i> (<i>Gibberella acuminata</i>)
<i>Liseola</i> ou complexe <i>G. fujikuroi</i>	<i>Gibberella fujikuroi</i> (<i>F. verticillioides</i> , <i>F. subglutinans</i>), <i>F. proliferatum</i>
<i>F. elegans</i>	<i>F. oxysporum</i>
<i>Martiella</i> - <i>Ventricosum</i>	<i>F. solani</i>

Sections correspond to the classification of Nelson *and al.* ; 1983, amended by Burgess *and al.* ; 1994 and updated with molecular techniques (Leslie et Summerell ; 2006, Carter *and al.* ; 2000, Aoki et O'Donnel ; 1999, Benyon *and al.* ; 2000).

Order an analysis

To SNES	
For GEVES or COFRAC certificate ¹	
	Price
By paper order form	
Handling of the request per submitted sample and issuing of a definitive GEVES or COFRAC certificate, in French or English.	10.10
By internet on DSN website	
Handling of the request per submitted sample and issuing of a definitive GEVES or COFRAC certificate, in French or English.	8.50
Specific handling	
Handling of the request per submitted sample sent in several packaging or weighing more than 2 kg requiring the preparation of a working sample, and issuing of a definitive SNES or COFRAC certificate, in French or English.	42.80
Supplementary certificates, specific presentation of results, priority, request for changes	
Duplicate certificate for adding manual singature and buffer, in French or English.	3.20
Summary table of results, or specific presentation of results.	32.70
Raw results on .csv file (request must be entered online on DSN website).	0.00
Priority processing, per sample.	19.90
Modification of information on a certificate (after checking the feasibility).	38.00

¹ A GEVES certificate is issued by default, except for COFRAC accredited tests for which a COFRAC certificate will be issued.

For an international certificate	
	Price
Paper version	
Handling of each submitted sample and issuing of an Orange or Blue International Certificate, in French or English, with priority being given to the related analyses.	41.00
Provisional international certificate, in French or English.	11.00
Duplicate international certificate, in French or English.	11.00
Supplementary certificates and request for changes	
Adding additional certificates (paper version only) or modification of information on an international certificate (after checking the conformity with ISTA rules).	38.00

To BioGEVES	
Handling and results	
	Price
Handling	
Handling of the sample for treated seeds.	59.00
Results	
Duplicates analysis certificate except photography.	2.90
New edition of result certificate.	29.20
Specific presentation of results - Contact BioGeves.	/

SEED QUALITY

Physiological quality

		Size	Duration	Price
Complementary determinations in addition to the germination test				
Detailed description of seedlings and seeds on 400 seeds.	GE-FG-DET	1 250	/	43.30
Detailed description of seedlings and seeds on 200 seeds.	GE-FG-DET2	500	/	21.60
Percentage of a particular type of seedling.	GE-FG-PCPL	/	/	24.00
Provision of the result of repetitions.	GE-FG-REP	/	/	13.90
Additional testing time required				
Additional duration of 7 days for a germination test on 400 seeds.	GE-FG-7S4	1 250	/	16.80
Additional duration of 14 days for a germination test on 400 seeds.	GE-FG-14S4	500	/	33.90
Additional duration of 7 days for a germination test on 200 seeds.	GE-FG-7S2	500	/	8.50
Additional duration of 14 days for a germination test on 200 seeds.	GE-FG-14S2	500	/	17.00
Verification of species				
Verification of species after germination test.	GE-ENR	/	/	9.80
Verification of species on pelleted seeds, when only a purity test is requested.	GE-VERIF	/	/	25.00
Tetrazolium viability test (excluding ornamental and fruit species, see p.61) - For results within a week, reception of seeds on Tuesday at the latest.				
Tetrazolium test on 400 seeds.	GE-TZ-1	500	/	181.00
Tetrazolium test on 200 seeds.	GE-TZ-2	300	/	121.00
Tetrazolium test on 100 seeds.	GE-TZ-3	200	/	84.00
Energy				
Germination energy (intermediate counting; germination capacity supplement). The date of counting for the energy varies according to the species.	GE-EG	500	/	20.70
Vigour tests				
Cold-test on 400 seeds.	GE-CO	1 250	/	72.00
Cold-test on 200 seeds.	GE-CO2	500	/	46.10
Accelerated ageing of 200 seeds including germination capacity.	GE-VIEI-2	500	/	94.00
Controlled deterioration of 200 seeds including germination capacity - Tomato .	GE-DET-1 NEW	500	/	94.00
Conductivity test on 200 seeds on ISTA species. <i>The moisture content of seeds should be between 10 and 14 %, sample must be send in a sealed foil sachet with the indication of the water content, otherwise it would be determined by us before the test and invoiced (see test TE-SN-01).</i>	GE-CON-GLO	500	/	59.00
Additional cost for a conductivity test on a treated seed sample.	GE-CON-SUP NEW	/	/	10.00
Treatment of seeds				
Treatment of seeds to be performed by SNES.	GE-TRAIT	/	/	24.00
Seeds do not undergo fungicide treatment before the germination test unless specifically requested (except for Beet).				
Substrate checks				
Determination of the water holding capacity of a substrate including moisture content.	GE-SUB-1	See p.7	/	96.00
Determination of the pH of a substrate.	GE-SUB-2	See p.7	/	61.00
Determination of the conductivity of a substrate.	GE-SUB-3	See p.7	/	61.00
Assessment of the innocuity of a substrate (determination of the % of seedlings intoxicated by the substrate, on 2 sensitive species).	GE-SUB-4	See p.7	/	139.00
Viability determination of seeds in a soil or a substrate.	GE-SUB-5		Contact SNES	
Automated germination kinetics by image analysis				
Germination kinetics by image analysis (average rate of germination, kinetic curve).	GE-CI		Contact SNES	
Supply of detailed data on imbibition and early elongation of the root.	GE-CI-4		Contact SNES	
Supply of seeds images during germination.	GE-CI-5		Contact SNES	

Seed health - Prior operations

		Size	Duration	Price
Thousand Seed Weight (TSW), if not indicated on the request or incorrect for bacteriology, mycology and virology tests.	PA-MMS	/	/	37.40

Bacteriology - Uncoated seeds only				
		Size	Duration	Price
Supplement fee for counting of colonies				
1 pathogen in 5 000 seeds.	PA-BA-19	5 000	/	26.00
1 pathogen in 30 000 seeds.	PA-BA-20	30 000	/	63.00
More than 1 pathogen in 5 000 seeds.	PA-BA-81	5 000	/	40.00
More than 1 pathogen in 30 000 seeds.	PA-BA-82	30 000	/	119.00

Mycology - See p.8 "Seed health"				
		Size	Duration	Price
Fusarium spp.				
Identification of <i>Fusarium</i> species in addition to detection test.	PA-ID-FUS	/	19 days	276.00
Helminthosporium spp. (Pyrenophora spp.)				
Identification of species of <i>Helminthosporium</i> in addition to detection test.	PA-ID-HEL	/	/	134.00
Supplement for spore counting, washing methods				
Counting by classes (0;1-10;11-100;>100).	PA-MY-DCLA	/	/	67.00
Counting by unit.	PA-MY-DEN	/	/	109.00

Nematology				
		Size	Duration	Price
<i>Heterodera</i> group <i>schachtii</i>, <i>Heterodera</i> group <i>goettingiana</i>, <i>Heterodera</i> group <i>avenae</i>.				
Detection and identification on soil samples.	PA-NE-SOL1	300 g	30 days	211.00

Other tests				
		Size	Duration	Price
Identification of pathogens isolated and provided on medium - Supply 2 boxes/isolates.	PA-AD-IP	/	19 days	52.00
Isolation of strains from symptoms.	PA-ISOLEM	/	/	52.00
Isolation of strains from seeds.	PA-ISOSEM	/	/	111.00
Identification of pathogens on plant material.			Contact SNES	
Feasibility on a case-by-case basis. Prices below are indicated for information, they will be charged depending on the observed symptoms.				
Handling of the sample.	PA-DI-PEC	/	/	59.00
Identification based on symptoms.	PA-DI-MICR	/	/	101.00
Mycological identification after incubation.	PA-DI-MY	/	/	200.00
Bacteriological identification after incubation.	PA-DI-BA	/	/	104.00
Confirmation by pathogenicity test.	PA-DI-PP	/	/	127.00
Virological identification by immunological test.	PA-DI-ELIS	/	/	224.00
Virological identification virologic by biotest.	PA-DI-IND	/	/	71.00
PCR.	PA-DI-PCR	/	/	125.00

EVALUATION OF VARIETIES				
Determination of the identity and the varietal purity				
		Size	Duration	Price
Standard protocol.	SEV-CV	/	/	360.00
Specific study.	SEV-CV1			Contact SEV

Genotyping by molecular biology				
		Size	Duration	Price
Varietal identity control - SSR.	BI-G-BM-SSR-CID-1		Contact BioGEVES	
Varietal comparison - SSR.	BI-G-BM-SSR-COMP		Contact BioGEVES	
Genetic purity analysis - SSR - 180 seeds.	BI-G-BM-SSR-PU-180		Contact BioGEVES	
Genetic purity analysis - SSR - 8 x 10 seeds.	BI-G-BM-SSR-PUR-10		Contact BioGEVES	
Seed mixture detection.	BI-G-BM-SSR-PUR-40		Contact BioGEVES	

Genotyping by molecular biology

		Size	Duration	Price
Varietal purity analysis - SSR - 90 seeds.	BI-G-BM-SSR-PUR-90		Contact BioGEVES	
Varietal description - SSR.	BI-G-BM-SSR-DVAR		Contact BioGEVES	
DNA extraction.	BI-G-BM-EXT		Contact BioGEVES	
Varietal identity control - SNP.	BI-G-BM-SNP-CID		Contact BioGEVES	
Hybrid Conformity - SNP.	BI-G-BM-SNP-CONF		Contact BioGEVES	
Varietal comparison - SNP.	BI-G-BM-SNP-COMP		Contact BioGEVES	
Genetic purity analysis - SNP.	BI-G-BM-SNP-PUR		Contact BioGEVES	
Varietal description - SNP.	BI-G-BM-SNP-DVAR		Contact BioGEVES	
Standardization of DNA concentration & distribution in plate.	BI-G-CUST-GEN-3		Contact BioGEVES	
Analysis of genetic diversity.	BI-G-CUST-GEN-2		Contact BioGEVES	
Migration run - Capillary sequencer - plate.	BI-G-BM-RUN		Contact BioGEVES	
DNA assay.	BI-G-BM-DOS		Contact BioGEVES	
Development of genotyping method.	BI-G-METH		Contact BioGEVES	
Customised genotyping.	BI-G-CUST		Contact BioGEVES	

Technological quality: biochemicals tests

		Size	Duration	Price
SPEC - custom analysis.	BI-B-CUST-DEV-SPEC		Contact BioGEVES	
RMN - custom analysis.	BI-B-CUST-DEV-RMN		Contact BioGEVES	
CPG - custom analysis.	BI-B-CUST-DEV-CPG		Contact BioGEVES	
NIRS - custom analysis.	BI-B-CUST-DEV-NIRS		Contact BioGEVES	
HPLC - custom analysis.	BI-B-CUST-DEV-HPLC		Contact BioGEVES	
Tannin content (assay by spectrophotometry).	BI-B-SPEC-TAN-GEN		Contact BioGEVES	
Fatty acid composition.	BI-B-CPG-AG-GEN		Contact BioGEVES	
Glucosinolate content (HPLC).	BI-B-HPLC-GLU-GEN		Contact BioGEVES	
Antitryptic activity.	BI-B-SPECT-FAT-GEN		Contact BioGEVES	
Glucosinolate content (NIRS).	BI-B-NIRS-NGLS		Contact BioGEVES	
Spectrochlorophyll.	BI-B-SPEC-CHLO		Contact BioGEVES	
Customised biochemical molecule assays (NIRS model development, analytical chemistry...).	BI-B-CUST		Contact BioGEVES	
Oil content (NMR).	BI-B-RMN-H		Contact BioGEVES	
Water content (NMR).	BI-B-RMN-E		Contact BioGEVES	
Phytates by spectrophotometry.	BI-B-SPEC-PHY		Contact BioGEVES	

Other tests

		Size	Duration	Price
WDV virus detection test by PCR.	BI-D-VIR-WDV		Contact BioGEVES	

Annual subscription to the variety denomination class test

			Price
All species - 10 tests.	SEV-DENOS-10		225.00
All species - 20 tests.	SEV-DENOS-20		425.00
All species - 50 tests.	SEV-DENOS-50		1000.00
All species - 100 tests.	SEV-DENOS-100		1925.00
All species - 200 tests.	SEV-DENOS-200		3760.00

PUBLICATIONS - Contact SNES

Technical sheet for analysis of specific purity and counting of all other seeds

Purity and determination of other seeds by number: methodology.

AP-M-1

Identification data sheet of seeds and other impurities

Echinochloa crus-galli, *Echinochloa colona*, *Panicum capillare*, *Panicum maximum*, *Setaria pumila*, *Setaria veridis*.

AP-A-01

Identification data sheet of seeds and other impurities <i>Avena fatua</i> - <i>Avena sativa</i> .	AP-A-02
Germination analysis method sheet Germination method of different species.	GE-M-ESP
Identification data sheet of seeds and other impurities Polygonaceae (<i>Persicaria maculosa</i> , <i>Persicaria lapathifolia</i> , <i>Fallopia convolvulus</i> , <i>Polygonum aviculare</i> , <i>Rumex</i> sp., <i>Rumex acetosella</i> , <i>Rumex maritimus</i>).	AP-A-03
<i>Chenopodium</i> sp., <i>Atriplex</i> sp., <i>Amaranthus</i> sp., <i>Reseda</i> sp., <i>Myosotis</i> sp.	AP-A-04
Asteraceae (<i>Anthemis arvensis</i> , <i>Glebionis segetum</i> , <i>Chicorium</i> sp., <i>Tripleurospermum inodorum</i> , <i>Helminthotheca echiodes</i> , <i>Lapsana communis</i> , <i>Lactuca sativa</i> , <i>Sonchus</i> spp., <i>Cirsium arvense</i> , <i>Cirsium vulgare</i> , <i>Centaurea cyanus</i>).	AP-A-06
<i>Cuscuta</i> spp.	AP-P-1
<i>Claviceps purpurea</i> - <i>Sclerotinia sclerotiorum</i> .	AP-P-2
Self-control kit A tool to help train and maintain the skills of his team.	KIT-AUTO
Identification data sheet of fungal pathogens <i>Altenaria linariae</i> , <i>A. alternata</i> , <i>A. brassicae</i> , <i>A. brassicicola</i> , <i>A. cucumerina</i> , <i>A. dauci</i> , <i>A. japonica</i> , <i>A. linicola</i> , <i>A. padwickii</i> , <i>A. petroselini</i> , <i>Alternaria</i> <i>helianthi</i> , <i>Ascochyta medicaginicola</i> , <i>Bipolaris oryzae</i> , <i>Botryotinia squamosa</i> , <i>Botrytis cinerea</i> , <i>Ciborinia allii</i> , <i>Colletotrichum graminicola</i> , <i>C. truncatum</i> , <i>Complexe Phomopsis</i> , <i>Didymella pisi</i> , <i>Exserohilum turcicum</i> , <i>Itersonilia perplexans</i> , <i>Phomopsis helianthi</i> , <i>Sarocladium strictum</i> , <i>Sclerotinia sclerotiorum</i> .	PA-T-PATH
Identification data sheet of nematodes <i>Ditylenchus dipsaci</i> , <i>D. destructor</i> , <i>Aphelenchoides besseyi</i> , <i>A. fragariae</i> .	PA-T-NEM
Identification data sheet of fungal saprophytes Sheet containing the main fungal saprophytes present in analysis on media.	PA-T-SAPR

SEED QUALITY

Physical quality

		Size	Duration	Price
Calibration - Provide a 250g watertight sample for naked seeds or 25 000 coated seeds.				
ISTA method (Denker device): inferior or equal to 6 grills.	MN-DK-CAL1	/	/	43.00
ISTA method (Denker device): superior or equal to 6 grills.	MN-DK-CAL2	/	/	56.00
Thousand-seed weight				
Thousand-seed weight on pure seeds on purity test performed by SNES.	MMS-01	/	/	34.00
Purity analysis test				
Purity - Beets, Chicory.	PU-IS-18	ISTA weight	/	34.50
Percentage of a specific type of other seeds. Specify the species to be mentioned.	PU-CONS1	/	/	9.40
Percentage of a specific type of inert materials. Specify the species to be mentioned.	PU-CONS2	/	/	9.40
Supplement for purity analysis if received as raw seeds.	PU-LB-SUP		Contact SNES	
Counting of all other seeds				
Full counting - Beets, Chicory.	SP-IS-17	ISTA weight	/	144.00
Counting of other seeds on purity weight. Indication of the number of other seeds in the specific purity test.	PU-SP-01	/	/	14.00
Limited counting of all other seeds				
Determination of a specific kind of other seeds, by number. Specify the species to be mentioned.	SP-CONS-1 NEW	/	/	9.40
Determination of a specific kind of inert materials, by number. Specify the species to be mentioned.	SP-CONS-2 NEW	/	/	9.40
Searching of 1 to 4 species (except for <i>Orobanchaceae</i>). Indicate the name of the species to be searched.	SP-LI-01	ISTA weight	/	66.00
Searching of 5 to 8 species (except for <i>Orobanchaceae</i>). Indicate the name of the species to be searched.	SP-LI-02	ISTA weight	/	106.00
Searching of more than 8 species (except for <i>Orobanchaceae</i>). Indicate the name of the species to be searched.	SP-LI-19		Contact SNES	
Searching of <i>Orobanche</i> sp. Only on UNTREATED and UNCOATED seeds. Analyse performed on a separate, sealed, submitted subsample.	SP-ORO	ISTA weight	/	78.00
Searching of <i>Striga</i> sp. Only on UNTREATED and UNCOATED seeds. Analyse performed on a separate, sealed, submitted subsample.	SP-STRIGA	ISTA weight	/	78.00
Searching of <i>Orobanche</i> sp. and <i>Striga</i> sp. Only on UNTREATED and UNCOATED seeds. Analyse performed on a separate, sealed, submitted subsample.	SP-ORO-STR	ISTA weight	/	114.00
Tests on coated seeds				
Purity on coated seeds.	PU-IS-21	2 500	/	36.00
Moisture content - Provide seeds in watertight bags from which as much air as possible has been extracted				
Oven method (except Soybean).	TE-SN-01	ISTA weight	/	21.50
Identification of individual seeds				
Visual identification by species.	ID-IS-01	/	/	36.00
Insects detection				
Insect detection in a seed sample.	ID-INS-01 NEW	/	/	84.00

Physiological quality

		Size	Duration	Price
Germination test on 400 seeds				
Beets (after washing and treatment).	GE-FG-03-4	1 250	/	75.00
Beets (pelleted seeds).	GE-FG-034E	1 250	/	57.00
Chicorys.	GE-FG-18-4	1 250	/	68.00
Germination test on 200 seeds				
Beets (after washing and treatment).	GE-FG-03-2	500	/	58.00
Beets (pelleted seeds).	GE-FG-032E	500	/	40.10
Chicorys.	GE-FG-18-2	500	/	54.00
Germination test on 100 seeds				
Beets (after washing and treatment).	GE-FG-03-1	500	/	37.40
Beets (pelleted seeds).	GE-FG-031E	500	/	28.80

Beets - Chicorys - Potatoe

Physiological quality				
		Size	Duration	Price
Germination test on 100 seeds				
Chicorys.	GE-FG-18-1	500	/	32.60
Cold test germination on 400 seeds				
Beets (after washing and treatment).	GE-EGFG-B4	1 250	/	108.00
Chicorys.	GE-EGFG-4	1 250	/	96.00
Cold test germination on 200 seeds				
Beets (after washing and treatment).	GE-EGFG-B2	500	/	66.00
Chicorys.	GE-EGFG-2	500	/	56.00
Verification of species				
Verification of species after germination test.	GE-ENR	/	/	9.80
Additional determinations in addition to the germination test on 400 seeds				
Percentage of monogerm seed - Monogerm seeds.	GE-FG-MONO	/	/	14.10
Percentage of monogerm seed - Multigerms seeds.	GE-FG-MONO1	/	/	31.00
Germination based on full seeds.	GE-FG-AMAN	/	/	10.40
Additional determinations in addition to the germination test on 200 seeds				
Percentage of monogerm seed - Monogerm seeds.	GE-FG-MON2	/	/	8.50
Percentage of monogerm seed - Multigerms seeds.	GE-FG-MON21	/	/	18.40

Bacteriology - Uncoated seeds only				
		Size	Duration	Price
Swiss chard, Beet				
<i>Pseudomonas syringae</i> pv. <i>aptata</i>				
Agar method + pathogenicity test in case of suspect colonies.	PA-BA-119	30 000	30 days	271.00

Mycology - See p.8 "Seed health"				
		Size	Duration	Price
Beet				
<i>Phoma betae</i> (<i>Neocamarosporium betae</i>), <i>Colletotrichum dematium</i>, <i>Fusarium oxysporum</i>, <i>Fusarium equiseti</i>, <i>Fusarium</i> sp., <i>Verticillium</i> sp.				
Agar method without superficial disinfection.	PA-ES-BET	400	19 days	110.00
<i>Peronospora farinosa</i> (downy mildew)				
Seed wash method. UNTREATED seeds only.	PA-MI-BET	500	15 days	106.00
<i>Cercospora beticola</i> (leaf spot)				
Seed wash method. UNTREATED seeds only.	PA-CE-BET	500	15 days	106.00
<i>Uromyces betae</i> (rust)				
Seed wash method. UNTREATED seeds only.	PA-RO-BET	500	15 days	106.00
<i>Ramularia beticola</i> (leaf spot)				
Seed wash method. UNTREATED seeds only.	PA-RAM-BET	500	15 days	106.00
Chicory				
<i>Alternaria cichorii</i>, <i>Fusarium</i> sp., <i>Botrytis cinerea</i>				
Agar method without superficial disinfection.	PA-ES-CHI	400	19 days	110.00

Nematology				
		Size	Duration	Price
<i>Heterodera</i> group <i>schachtii</i>, <i>Heterodera</i> group <i>goettingiana</i>, <i>Heterodera</i> group <i>avenae</i>.				
Detection and identification on soil samples.	PA-NE-SOL1	300 g	30 days	211.00

Virology - Uncoated seeds only				
		Size	Duration	Price
Beet				
Tomato black ring virus (TBRV)				
ELISA.	PA-VI-37	2 000	16 days	213.00

Virology - Uncoated seeds only

Beet

Beet necrotic yellow vein virus (BNYVV)⁴⁰

ELISA. PA-VI-41 3 000 16 days 244.00

Tobacco rattle virus (TRV)

ELISA. PA-VI-82 2 000 16 days 268.00

EVALUATION OF VARIETIES

Varietal resistance

Beet

Heterodera schachtii

GEVES protocol. PA-R-BET 75 / 1108.00

Aphanomyces cochlioides

Official protocol. PA-R-BET-1 Contact SNES

Rhizoctonia solani

Evaluation of aggressivity of an isolate. PA-R-BET-2 Contact SNES

Potato

Globodera pallida⁴⁰

Counting of eggs and larvae for resistant varieties. Directive 2007/33/CE. PA-R-POM-1 8 / 856.00

Foot test (miniaturised test: 4 tubercules). PA-R-POM-5 Contact SNES

Globodera rostochiensis⁴⁰

Counting of eggs and larvae for resistant varieties. Directive 2007/33/CE. PA-R-POM-3 8 / 825.00

Foot test (miniaturised test: 4 tubercules). PA-R-POM-6 Contact SNES

Different prices outside test periods. Contact SNES for information on the periods according to the species.

Technological quality: biochemicals tests

Chicory

Asparagin content. BI-B-SPEC-ASN Contact BioGEVES

Beet

Betanine (red of beetroot) assay by spectrophotometry. BI-B-SPEC-BET Contact BioGEVES

Other tests

Beet

Multiplex RT-qPCR for the identification of 4 viruses: BtMV, BYV, BChV, BMV. BI-D-VIR-BET Contact BioGEVES

Field tests by SEV

	Size	Duration	Price
DUS testing - Forage beet .	SEV-DHS-BETF		1290.00
DUS testing - Sugar beet .	SEV-DHS-BETS		1140.00
Resistance test for leaf blight and tuber blight for Potato . Contact aurelie.mailliard@geves.fr	SEV-PDT-MIL		1565.00

PUBLICATIONS - Contact SNES

Germination analysis technical sheet

Evaluation of **Beet** seedlings. GE-T-BET

Technical sheet for analysis of specific purity and counting of all other seeds

Beta vulgaris. AP-C-9

Identification data sheet of seeds and other impurities

Asteraceae (*Anthemis arvensis*, *Glebionis segetum*, *Chicorium* sp., *Tripleurospermum inodorum*, *Helminthotheca echioides*, *Lapsana communis*, *Lactuca sativa*, *Sonchus* spp., *Cirsium arvense*, *Cirsium vulgare*, *Centaurea cyanus*). AP-A-06



Collection of seeds

Weed’s identification for *Beta vulgaris* analysis.

APCS-BET-V

SEED QUALITY

Physical quality

		Size	Duration	Price
Thousand-seed weight				
Thousand-seed weight on pure seeds on purity test performed by SNES.	MMS-01	/	/	34.00
Purity analysis test				
Purity - Field bean, Faba bean, Lupin, Pea, Soybean.	PU-IS-02	ISTA weight	/	27.00
Percentage of a specific type of other seeds. Specify the species to be mentioned.	PU-CONS1	/	/	9.40
Percentage of a specific type of inert materials. Specify the species to be mentioned.	PU-CONS2	/	/	9.40
Supplement for purity analysis if received as raw seeds.	PU-LB-SUP		Contact SNES	
Counting of all other seeds				
Full counting - Field bean, Faba bean, Lupin, Pea, Soybean.	SP-IS-02	ISTA weight	/	26.80
Counting of other seeds on purity weight. Indication of the number of other seeds in the specific purity test.	PU-SP-01	/	/	14.00
Limited counting of all other seeds				
Determination of a specific kind of other seeds, by number. Specify the species to be mentioned.	SP-CONS-1 NEW	/	/	9.40
Determination of a specific kind of inert materials, by number. Specify the species to be mentioned.	SP-CONS-2 NEW	/	/	9.40
Searching of 1 to 4 species (except for <i>Orobanchaceae</i>). Indicate the name of the species to be searched.	SP-LI-01	ISTA weight	/	66.00
Searching of 5 to 8 species (except for <i>Orobanchaceae</i>). Indicate the name of the species to be searched.	SP-LI-02	ISTA weight	/	106.00
Searching of more than 8 species (except for <i>Orobanchaceae</i>). Indicate the name of the species to be searched.	SP-LI-04	/	/	22.10
Searching of <i>Avena fatua</i> - Pea.	SP-AF-3KG2	3 kg	/	70.00
Searching of <i>Orobanche</i> sp. Only on UNTREATED and UNCOATED seeds. Analyse performed on a separate, sealed, submitted subsample.	SP-ORO	ISTA weight	/	78.00
Searching of <i>Striga</i> sp. Only on UNTREATED and UNCOATED seeds. Analyse performed on a separate, sealed, submitted subsample.	SP-STRIGA	ISTA weight	/	78.00
Searching of <i>Orobanche</i> sp. and <i>Striga</i> sp. Only on UNTREATED and UNCOATED seeds. Analyse performed on a separate, sealed, submitted subsample.	SP-ORO-STR	ISTA weight	/	114.00
Moisture content - Provide seeds in watertight bags from which as much air as possible has been extracted				
Oven method (except Soybean).	TE-SN-01	ISTA weight	/	21.50
Oven method - Soybean.	TE-SN-SOJA NEW	/	/	31.50
Determination of bitterness				
Bitter on Lupin.	AMER-LUP1	400	/	70.00
Identification of individual seeds				
Visual identification by species.	ID-IS-01	/	/	36.00
Insects detection				
Insect detection in a seed sample.	ID-INS-01 NEW	/	/	84.00
Detection and identification of regulated bruchids in a sample. - Peas, Faba beans.	ID-BRUCHE NEW	/	/	84.00

Physiological quality

		Size	Duration	Price
Germination test on 400 seeds				
Faba bean, Lupin, Pea, Soybean.	GE-FG-02-4	1 250	/	62.00
Germination test on 200 seeds				
Faba bean, Lupin, Pea, Soybean.	GE-FG-02-2	500	/	52.00
Vigour tests				
Conductivity test on 200 seeds on ISTA species. <i>The moisture content of seeds should be between 10 and 14 %, sample must be send in a sealed foil sachet with the indication of the water content, otherwise it would be determined by us before the test and invoiced (see test TE-SN-01).</i>	GE-CON-GLO	500	/	59.00
Additional cost for a conductivity test on a treated seed sample.	GE-CON-SUP NEW	/	/	10.00
Accelerated ageing of 200 seeds including germination capacity.	GE-VIEI-2	500	/	94.00

Bacteriology - Uncoated seeds only

		Size	Duration	Price
Pea - Detection of 1 pathogen				
<i>Pseudomonas syringae</i> pv. <i>pisi</i> (Psp)				
Agar method + pathogenicity test in case of suspect colonies (method derived from Anses BHs/99/03).	PA-BA-21	5 000	26 days	204.00
	PA-BA-70	15 000	26 days	304.00
Agar method + pathogenicity test in case of suspect colonies (ISTA 7-029).	PA-BA-21-1	5 000	32 days	250.00
<i>Pseudomonas syringae</i> pv. <i>syringae</i> (Pss)				
Agar method + pathogenicity test in case of suspect colonies (Anses BHs/99/03).	PA-BA-22	5 000	32 days	228.00
Agar method + pathogenicity test in case of suspect colonies.	PA-BA-84	15 000	32 days	304.00
Pea - Detection of 2 pathogens				
Psp + Pss				
Agar method + pathogenicity test in case of suspect colonies (Anses BHs/99/03).	PA-BA-22-2	5 000	36 days	259.00
	PA-BA-85	15 000	36 days	394.00
Pea - Supplement fee pathogenicity test				
<i>Pseudomonas syringae</i> pv. <i>pisi</i>				
Confirmation by pathogenicity test PCR positive isolates.	PA-PP-PSP	/	9 days	81.00
Soybean				
<i>Pseudomonas savastanoi</i> pv. <i>glycinea</i>				
Agar method + pathogenicity test in case of suspect colonies (method Anses BHs/99/04 COFRAC).	PA-BA-27	5 000	31 days	228.00

Mycology - See p.8 "Seed health"

		Size	Duration	Price
Faba bean, Field bean				
<i>Didymella fabae</i> (<i>Ascochyta fabae</i>), <i>Botrytis cinerea</i>, <i>Botrytis fabae</i>, <i>Fusarium</i> sp.				
Agar method without superficial disinfection.	PA-ES-FEV	400	19 days	110.00
Lupin				
<i>Colletotrichum lupini</i>, <i>Botrytis cinerea</i>, <i>Fusarium</i> sp., <i>Phomopsis</i> sp.				
Agar method without superficial disinfection.	PA-ES-LUP	400	19 days	110.00
Pea				
<i>Didymella pisi</i> (<i>Ascochyta pisi</i>), <i>Didymella pinodes</i> (<i>Mycosphaerella pinodes</i>), <i>Didymella pinodella</i> (<i>Phoma pinodella</i>), <i>Stemphylium botryosum</i>, <i>Fusarium</i> sp., <i>Botrytis</i> sp., <i>Sclerotinia</i> sp., <i>Phoma</i> sp.				
Agar method with superficial disinfection. UNTREATED seeds only.	PA-ES-POID	400	19 days	115.00
Agar method without superficial disinfection. Treated seeds only.	PA-ES-POI	400	19 days	110.00
<i>Didymella pisi</i> (<i>Ascochyta pisi</i>)				
Agar method (ISTA 7-005).	PA-ANT-POI	400	19 days	115.00
<i>Peronospora viciae</i> (<i>Peronospora pisi</i>) (downy mildew)				
Seed wash method. UNTREATED seeds only.	PA-MI-POI	500	15 days	106.00
Chickpea				
<i>Ascochyta rabiei</i> (<i>Phoma rabiei</i>), <i>Botrytis cinerea</i>, <i>Fusarium oxysporum</i>, <i>Fusarium solani</i>, <i>Fusarium</i> sp.				
Agar method with superficial disinfection. UNTREATED seeds only.	PA-ES-POCD	400	19 days	115.00
Agar method without superficial disinfection. Treated seeds only.	PA-ES-POC	400	19 days	110.00
Soybean				
<i>Phomopsis complex</i>.				
Possibility of detection out of ISTA scope on request of <i>Fusarium</i> sp., <i>Stemphylium botryosum</i> , <i>Colletotrichum dematium</i> , <i>Botrytis</i> sp., <i>Phoma</i> sp.				
Agar method (ISTA 7-016).	PA-PHO-SOJ	400	19 days	117.00

Nematology

		Size	Duration	Price
Faba bean				
<i>Ditylenchus dipsaci</i> and/or <i>Ditylenchus gigas</i>				
Filtration and morphological identification (method ISTA 7-031). UNTREATED seeds only. Test carried out on the whole submitted sample. If the supplied quantity is too important, a new sample will be requested.	PA-NE-FEV	300 g	16 days	79.00

Protein crops

Nematology

Faba bean

Ditylenchus dipsaci and/or *Ditylenchus gigas*

Detection on plants. Filtration (Anses MOA013 parts A and B).

PA-NE-PLAF

Size Duration Price

/ 16 days 88.00

Pea

Ditylenchus dipsaci

Filtration and morphological identification (method Anses MOA013 parts A COFRAC and B COFRAC). **UNTREATED seeds only.**

PA-NE-POIS

200 g 16 days 79.00

Test carried out on the whole submitted sample. **If the supplied quantity is too important, a new sample will be requested.**

Virology - Uncoated seeds only

Pea

Tomato black ring virus (TBRV)

ELISA.

PA-VI-37

2 000 16 days 213.00

Pea early browning virus (PEBV)

ELISA (ISTA 7-024).

PA-VI-31

2 000 16 days 214.00

Pea enation mosaic virus (PEMV)

ELISA.

PA-VI-57

2 000 16 days 259.00

Pea seed borne mosaic virus (PSbMV)

ELISA (ISTA 7-024).

PA-VI-11

2 000 16 days 180.00

Bean yellow mosaic virus (BYMV)

ELISA.

PA-VI-60

2 000 16 days 282.00

Bean leaf roll virus (BLRV)

ELISA.

PA-VI-67

2 000 16 days 257.00

Southern bean mosaic virus (SBMV)

ELISA.

PA-VI-88

2 000 16 days 257.00

Broad bean true mosaic virus (BBTMV)

ELISA.

PA-VI-50

2 000 16 days 257.00

Soybean

Soybean mosaic virus (SMV)

ELISA.

PA-VI-13

2 000 16 days 227.00

EVALUATION OF VARIETIES

Varietal resistance

Pea

Didymella pisi race C

Official protocol.

PA-R-POI-1

30 / 106.00

Fusarium oxysporum f. sp. *pisi* race 1

Official protocol.

PA-R-POI-2

30 / 119.00

BYMV (*Bean yellow mosaic virus*)

Official protocol.

PA-R-POI-3

30 / 110.00

PEMV (*Pea enation mosaic virus*)

Official protocol.

PA-R-POI-4

30 / 126.00

Erysiphe pisi

Official protocol.

PA-R-POI-5

30 / 177.00

Chickpea

Ascochyta rabiei

Official protocol.

PA-R-PC-1 **NEW**

Contact SNES

Different prices outside test periods. Contact SNES for information on the period according to the species.

Protein crops

Genotyping by protein profiling

	Size	Duration	Price
Soybean			
Varietal comparison by isoenzyme electrophoresis.	BI-G-EL-COMP-S	Contact BioGEVES	
Purity control by iso-enzymatic electrophoresis - 100 seeds.	BI-G-EL-PUR-S-100G	Contact BioGEVES	
Description of a variety for 6 loci on 20 seeds.	BI-G-EL-DVAR-S	Contact BioGEVES	
Purity test of a batch for 6 loci out of 200 seeds.	BI-G-EL-PUR-S-200G	Contact BioGEVES	

Genotyping by molecular biology

	Size	Duration	Price
Pea			
Varietal purity analysis - SSR - 90 seeds.	BI-G-BM-SSR-PUR-90	Contact BioGEVES	
Varietal identity control - SSR.	BI-G-BM-SSR-CID-1	Contact BioGEVES	
Soybean			
Varietal purity analysis - SSR - 90 seeds.	BI-G-BM-SSR-PUR-90	Contact BioGEVES	
Varietal identity control - SSR.	BI-G-BM-SSR-CID	Contact BioGEVES	

Technological quality: biochemicals tests

	Size	Duration	Price
Field Bean, Pea			
Protein content (NIRS).	BI-B-NIRS-P	Contact BioGEVES	
Antitrypsic factors (assay by spectrophotometry).	BI-B-SPEC-FAT	Contact BioGEVES	
Tannin content (assay by spectrophotometry).	BI-B-SPEC-TAN	Contact BioGEVES	
Vicine and convicine content by high performance liquid chromatography (HPLC) - method validated on faba.	BI-B-HPLC-VCCV	Contact BioGEVES	
Soybean			
Protein content (NIRS).	BI-B-NIRS-P	Contact BioGEVES	
Antitrypsic factors (assay by spectrophotometry).	BI-B-SPEC-FAT	Contact BioGEVES	

Detection, identification and quatification of GMOs

	Size	Duration	Price
Soybean			
Detection of the adventitious presence of GMOs in raw products (seeds, grains COFRAC). List of methods available on request.	BI-D-OGM1	Contact BioGEVES	
Identification and quantification of GMO events (COFRAC) . List of methods available on request.	BI-D-OGM3	Contact BioGEVES	

Field tests by SEV

		Price
DUS testing - Field bean, Lupin.	SEV-DHS-FEVLUP	1490.00
DUS testing - Lentil.	SEV-DHS-LEN	1490.00
DUS testing - Spring peas.	SEV-DHS-POIP	1490.00
DUS testing - Winter peas.	SEV-DHS-POIH	1490.00
DUS testing - Chickpea.	SEV-DHS-POIC	1490.00
DUS testing - Soybean.	SEV-DHS-SOJ	1320.00

PUBLICATIONS - Contact SNES

Method sheet	
Vigour testing - Conductivity - Pea.	VIG-2-M
Germination analysis technical sheet	
Evaluation of Pea seedlings.	GE-T-POI
Evaluation of Faba seedlings.	GE-T-FEV
Technical sheet for analysis of specific purity and counting of all other seeds	
<i>Pisum sativum</i> , <i>Vicia faba</i> .	AP-C-8
<i>Cicer arietinum</i> .	AP-C-12

Insects identification

<i>Bruchus-pisorum</i> - Faba, Bean, Pea.	AP-P-04
<i>Bruchus-rufimanus</i> - Faba, Bean, Pea.	AP-P-05
<i>Acanthoscelides-obtectus</i> - Faba, Bean, Pea.	AP-P-06

Collection of seeds

Weed's identification for <i>Pisum sativum</i> and <i>Vicia faba</i> analysis.	APCS-PIS-S
--	------------

SEED QUALITY

Physical quality

		Size	Duration	Price
Thousand-seed weight				
Thousand-seed weight on pure seeds on purity test performed by SNES.	MMS-01	/	/	34.00
Purity analysis test				
Purity - Oat, Wheat, Spelt, Barley, Rice, Buckwheat, Rye, Triticale.	PU-IS-01	ISTA weight	/	66.00
Percentage of a specific type of other seeds. Specify the species to be mentioned.	PU-CONS1	/	/	9.40
Percentage of a specific type of inert materials. Specify the species to be mentioned.	PU-CONS2	/	/	9.40
Supplement for purity analysis if received as raw seeds.	PU-LB-SUP		Contact SNES	
Counting of all other seeds				
Full counting - Oat, Wheat, Spelt, Barley, Rice, Buckwheat, Rye, Triticale.	SP-IS-01	ISTA weight	/	145.00
Full counting - Soft wheat.	SP-CER-R1	500 g	/	121.00
Counting of other seeds on purity weight. Indication of the number of other seeds in the specific purity test.	PU-SP-01	/	/	14.00
Limited counting of all other seeds				
Determination of a specific kind of other seeds, by number. Specify the species to be mentioned.	SP-CONS-1 NEW	/	/	9.40
Determination of a specific kind of inert materials, by number. Specify the species to be mentioned.	SP-CONS-2 NEW	/	/	9.40
Searching of 1 to 4 species (except for <i>Orobanchaceae</i>). Indicate the name of the species to be searched.	SP-LI-01	ISTA weight	/	66.00
Searching of 5 to 8 species (except for <i>Orobanchaceae</i>). Indicate the name of the species to be searched.	SP-LI-02	ISTA weight	/	106.00
Searching of more than 8 species (except for <i>Orobanchaceae</i>). Indicate the name of the species to be searched.	SP-LI-03	/	/	125.00
Searching of <i>Avena fatua</i> - Wheat, Spelt, Barley, Rice, Rye, Triticale.	SP-AF-3KG1	3 kg	/	203.00
Searching of <i>Avena fatua</i> - Oat.	SP-AF-3KG5	3 kg	/	366.00
Searching of <i>Orobanche</i> sp. Only on UNTREATED and UNCOATED seeds. Analyse performed on a separate, sealed, submitted subsample.	SP-ORO	ISTA weight	/	78.00
Searching of <i>Striga</i> sp. Only on UNTREATED and UNCOATED seeds. Analyse performed on a separate, sealed, submitted subsample.	SP-STRIGA	ISTA weight	/	78.00
Searching of <i>Orobanche</i> sp. and <i>Striga</i> sp. Only on UNTREATED and UNCOATED seeds. Analyse performed on a separate, sealed, submitted subsample.	SP-ORO-STR	ISTA weight	/	114.00
Moisture content - Provide seeds in watertight bags from which as much air as possible has been extracted				
Oven method (except Soybean).	TE-SN-01	ISTA weight	/	21.50
Determination of bitterness				
Bitter on Quinoa.	AMER-QUI	400	/	70.00
Identification of individual seeds				
Visual identification by species.	ID-IS-01	/	/	36.00
Insects detection				
Insect detection in a seed sample.	ID-INS-01 NEW	/	/	84.00

Physiological quality

		Size	Duration	Price
Germination test on 400 seeds				
Oat, Wheat, Spelt, Barley, Rice, Buckwheat, Rye, Triticale.	GE-FG-01-4	1 250	/	53.00
Germination test on 200 seeds				
Oat, Wheat, Spelt, Barley, Rice, Buckwheat, Rye, Triticale.	GE-FG-01-2	500	/	43.50
Early estimation of germination analysis on 200 seeds				
Barley.	GE-FGPR-OR NEW	/	/	23.00
Vigour test				
Cold Test on 400 seeds.	GE-CO-CE-4	1 250	/	72.00
Cold Test on 200 seeds.	GE-CO-CE-2	500	/	46.10
Accelerated ageing of 200 seeds including germination capacity.	GE-VIEI-2	500	/	94.00

Physiological quality

		Size	Duration	Price
Dormancy evaluation				
Dormancy index for cereal varieties.	GE-IND-DOR	1 000	21 days	56.00

Mycology - See p.8 "Seed health"

		Size	Duration	Price
Oats				
<i>Ustilago avenae</i> (loose smut) and <i>Ustilago hordei</i> (smut)				
Seed wash method. UNTREATED seeds only.	PA-CH-AV	500	15 days	108.00
<i>Pyrenophora chaetomioides</i> (<i>Helminthosporium avenae</i>), <i>Parastagonospora avenae</i> (<i>Septoria avenae</i>), <i>Microdochium</i> sp., <i>Fusarium</i> sp., <i>Botrytis</i> sp.				
Agar method with superficial disinfection. UNTREATED seeds only.	PA-ES-AVD	400	19 days	115.00
Agar method without superficial disinfection. Treated seeds only.	PA-ES-AV	400	19 days	110.00
Wheat				
Bunt - <i>Tilletia caries</i>, <i>Tilletia laevis</i> (<i>Tilletia foetida</i>), <i>Tilletia controversa</i>				
Filtration and counting method. UNTREATED seeds only.	PA-CA-BLE	50 g	15 days	99.00
Provide the specified quantity of seeds with indication the weight and the number of seeds on the bag (information is under the applicant's responsibility). UNTREATED seeds only.				
Bunt - <i>Tilletia indica</i>⁴⁰, <i>Tilletia caries</i>, <i>Tilletia laevis</i> (<i>Tilletia foetida</i>), <i>Tilletia controversa</i>				
Filtration method and morphological identification (Anses MOA 017 COFRAC). UNTREATED seeds only.	PA-CA-BLE2	200 g	15 days	147.00
Provide the specified quantity of seeds with indication the weight and the number of seeds on the bag (information is under the applicant's responsibility). Analyses only carried out on seed lots from France.				
<i>Tilletia caries</i> (bunt)				
Viability mesure of spores by detection by PCR on plantlets.	PA-CA-VIA2			Contact SNES
Evaluation of the efficiency of treatments. Evaluation of transmission from seed to plantlet.				
<i>Ustilago tritici</i> (loose smut)				
Embryo extraction method. UNTREATED seeds only.	PA-CH-BLE	2 000	15 days	115.00
<i>Microdochium</i> sp., <i>Fusarium</i> sp., <i>Parastagonospora nodorum</i> (<i>Septoria nodorum</i>), <i>Bipolaris sorokiniana</i> (<i>Helminthosporium sativum</i>), <i>Helminthosporium</i> sp.				
Agar method with superficial disinfection. UNTREATED seeds only.	PA-ES-BLED	400	19 days	115.00
Agar method without superficial disinfection. Treated seeds only.	PA-ES-BLE	400	19 days	110.00
<i>Microdochium</i> sp.				
Agar method (ISTA 7-022).	PA-MIC-BLE	400	19 days	113.00
Identification of species by PCR in addition to the analysis of detection.	PA-MIC-BL2	/	19 days	235.00
<i>Parastagonospora nodorum</i> (<i>Septoria nodorum</i>)				
Agar method (ISTA 7-014).	PA-SE-BLE	400	19 days	113.00
<i>Urocystis agropyri</i> (flag smut)				
Seed wash method. UNTREATED seeds only.	PA-BLE-URO	500	15 days	106.00
Barley				
Bunt - <i>Tilletia caries</i>, <i>Tilletia laevis</i> (<i>Tilletia foetida</i>), <i>Tilletia controversa</i>				
Filtration and counting method. UNTREATED seeds only.	PA-CA-ORG	50 g	15 days	99.00
Provide the specified quantity of seeds with indication the weight and the number of seeds on the bag (information is under the applicant's responsibility).				
Bunt - <i>Tilletia indica</i>⁴⁰, <i>Tilletia caries</i>, <i>Tilletia laevis</i> (<i>Tilletia foetida</i>), <i>Tilletia controversa</i>				
Filtration method and morphological identification (Anses MOA 017 COFRAC). UNTREATED seeds only.	PA-CA-ORG2	200 g	15 days	147.00
Provide the specified quantity of seeds with indication the weight and the number of seeds on the bag (information is under the applicant's responsibility). Analyses only carried out on seed lots from France.				
<i>Ustilago nuda</i> (loose smut)				
Embryo extraction method (ISTA 7-013a).	PA-CHI-ORG	4 000	15 days	163.00
<i>Ustilago hordei</i> (smut)				
Seed wash method. UNTREATED seeds only.	PA-CH-ORLA	500	15 days	106.00

Mycology - See p.8 "Seed health"

		Size	Duration	Price
Barley				
<i>Microdochium</i> sp., <i>Fusarium</i> sp., <i>Parastagonospora nodorum</i> (<i>Septoria nodorum</i>), <i>Bipolaris sorokiniana</i> (<i>Helminthosporium sativum</i>), <i>Helminthosporium</i> sp.				
Agar method with superficial disinfection. UNTREATED seeds only.	PA-ES-ORGD	400	19 days	115.00
Seed wash method. Untreated seeds only.	PA-ES-ORG	400	19 days	110.00
<i>Ramularia collo-cygni</i>				
Seed wash method. UNTREATED seeds only.	PA-RAM-ORG	500	15 days	106.00
Rice				
<i>Alternaria padwickii</i> , <i>Bipolaris oryzae</i> (<i>Helminthosporium oryzae</i>), <i>Pyricularia oryzae</i> (<i>Magnaporthe grisea</i>), <i>Curvularia</i> sp., <i>Nigrospora oryzae</i>				
Agar method.	PA-ES-RIZ	400	19 days	145.00
Rye				
Bunt - <i>Tilletia caries</i>, <i>Tilletia laevis</i> (<i>Tilletia foetida</i>), <i>Tilletia controversa</i>				
Filtration and counting method. UNTREATED seeds only.	PA-CA-SEI	50 g	15 days	99.00
Provide the specified quantity of seeds with indication the weight and the number of seeds on the bag (information is under the applicant's responsibility).				
Bunt - <i>Tilletia indica</i>⁴⁰, <i>Tilletia caries</i>, <i>Tilletia laevis</i> (<i>Tilletia foetida</i>), <i>Tilletia controversa</i>				
Filtration method and morphological identification (Anses MOA 017 COFRAC). UNTREATED seeds only.	PA-CA-SEI2	200 g	15 days	147.00
Provide the specified quantity of seeds with indication the weight and the number of seeds on the bag (information is under the applicant's responsibility). Analyses only carried out on seed lots from France.				
<i>Ustilago hordei</i> (smut)				
Seed wash method. UNTREATED seeds only.	PA-CH-SEI	500	15 days	106.00
<i>Microdochium</i> sp., <i>Fusarium</i> sp., <i>Parastagonospora nodorum</i> (<i>Septoria nodorum</i>), <i>Bipolaris sorokiniana</i> (<i>Helminthosporium sativum</i>), <i>Helminthosporium</i> sp.				
Agar method with superficial disinfection. UNTREATED seeds only.	PA-ES-SEID	400	19 days	115.00
Agar method without superficial disinfection. Treated seeds only.	PA-ES-SEI	400	19 days	110.00
Triticale				
Bunt - <i>Tilletia caries</i>, <i>Tilletia laevis</i> (<i>Tilletia foetida</i>), <i>Tilletia controversa</i>				
Filtration and counting method. UNTREATED seeds only.	PA-CA-TRI	50 g	15 days	99.00
Provide the specified quantity of seeds with indication the weight and the number of seeds on the bag (information is under the applicant's responsibility).				
Bunt - <i>Tilletia indica</i>⁴⁰, <i>Tilletia caries</i>, <i>Tilletia laevis</i> (<i>Tilletia foetida</i>), <i>Tilletia controversa</i>				
Filtration method and morphological identification (Anses MOA 017 COFRAC). UNTREATED seeds only.	PA-CA-TRI2	200 g	15 days	147.00
Provide the specified quantity of seeds with indication the weight and the number of seeds on the bag (information is under the applicant's responsibility). Analyses only carried out on seed lots from France.				
<i>Ustilago tritici</i> (loose smut)				
Embryo extraction method. UNTREATED seeds only.	PA-CH-TRI	2 000	15 days	115.00
<i>Microdochium</i> sp., <i>Fusarium</i> sp., <i>Parastagonospora nodorum</i> (<i>Septoria nodorum</i>), <i>Bipolaris sorokiniana</i> (<i>Helminthosporium sativum</i>), <i>Helminthosporium</i> sp.				
Agar method with superficial disinfection. UNTREATED seeds only.	PA-ES-TRID	400	19 days	115.00
Agar method without superficial disinfection. Treated seeds only.	PA-ES-TRI	400	19 days	110.00
Wheat, Barley, Rye, Triticale				
<i>Tilletia caries</i> (bunt)				
Filtration and counting method + viability measure by staining method.	PA-CA-VIAC	50 g	15 days	139.00

Nematology

		Size	Duration	Price
Oats				
<i>Ditylenchus dipsaci</i>				
Filtration and morphological identification (method Anses MOA013 parts A COFRAC and B COFRAC). UNTREATED seeds only.	PA-NE-AV	200 g	16 days	79.00
Test carried out on the whole submitted sample. If the supplied quantity is too important, a new sample will be requested.				

⁴⁰ Quarantine parasite

Nematology

Rice

Aphelenchoides besseyiGrinding + filtration (ISTA 7-025). **UNTREATED seeds only.**

PA-NE-RIZ

Size Duration Price

1 000 16 days **86.00**

Virology - Uncoated seeds only

Wheat, Barley

Barley stripe mosaic virus (BSMV)

ELISA.

PA-VI-45

Size Duration Price

1 000 37 days **354.00**

EVALUATION OF VARIETIES

Varietal resistance

Wheat

WSSMV (*Wheat spindle streak mosaic virus*)

ELISA.

PA-R-BLE-1

20 plants

/

170.00**SBCMV (*Soil-borne cereal mosaic virus*)**

ELISA.

PA-R-BLE-2

20 plants

/

170.00***Tilletia caries***

Method by grow -out and detection on plantlets by PCR.

PA-R-BLE-3

Contact SNES

Barley

BaMMV (*Barley mild mosaic virus*)

ELISA.

PA-R-ORG1

20 plants

/

111.00**BaYMV (*Barley yellow mosaic virus*)**

ELISA.

PA-R-ORG2

20 plants

/

111.00**WDV (*Wheat dwarf virus*)**

ELISA.

PA-R-ORG3

Contact SNES

Wheat, Barley

BaMMV (*Barley mild mosaic virus*)

PCR.

BI-D-VIR-MOSA1

Contact BioGEVES

BaYMV (*Barley yellow mosaic virus*)

PCR.

BI-D-VIR-MOSA2

Contact BioGEVES

Pathotype identification dCAPS method (Y1/Y2).

BI-D-V-DCAPS

Contact BioGEVES

BYDV (*Barley yellow dwarf virus*)

Detection and identification of BYDV-MAV, BYDV-PAV, BYDV-SGV and BYDV-RPV by PCR.

BI-D-V-JNO

Contact BioGEVES

WDV (*Wheat dwarf virus*)

PCR.

BI-D-VIR-MOSA5

Contact BioGEVES

SBWMV (*Soil-borne wheat mosaic virus*)

PCR.

BI-D-VIR-MOSA4

Contact BioGEVES

SBCMV (*Soil-borne cereal mosaic virus*)

PCR.

BI-D-VIR-MOSA3

Contact BioGEVES

WSSMV (*Wheat spindle streak mosaic virus*)

PCR.

BI-D-VIR-MOSA6

Contact BioGEVES

Different prices outside test periods. Contact SNES for tests outside periods (March - April)

Genotyping by protein profiling

Durum Wheat

Research and characterisation of LMW1 and LMW2 bands for the varieties of **Durum wheat**, 1 variety x 5.

BI-G-EL-LMW

Size Duration Price

Contact BioGEVES

Genotyping by molecular biology			
		Size	Duration Price
Durum Wheat, Bread Wheat, Barley, Triticale			
Varietal purity analysis - SSR - 90 seeds.	BI-G-BM-SSR-PUR-90		Contact BioGEVES
Seed mixture detection.	BI-G-BM-SSR-PUR-40		Contact BioGEVES
Durum Wheat, Barley, Rice, Triticale			
Varietal identity control - SSR.	BI-G-BM-SSR-CID-1		Contact BioGEVES
Bread Wheat			
Varietal identification (french collection, organic, recommended varieties for milling).	BI-G-BM-SSR-CID-2		Contact BioGEVES
Varietal identity control for milling.	BI-G-BM-SSR-CID-3		Contact BioGEVES
Varietal identity control for organic wheat.	BI-G-BM-SSR-CID-4		Contact BioGEVES
Malting Barley			
Varietal identity control for brewery.	BI-G-BM-SSR-CID-5		Contact BioGEVES

Technological quality: biochemicals tests			
		Size	Duration Price
Durum Wheat			
Protein content (NIRS).	BI-B-NIRS-P		Contact BioGEVES

Other tests			
		Size	Duration Price
Dormancy index for cereal varieties.	GE-IND-DOR	1 000	21 days 56.00
Barley			
Morphological control of Barley seeds (character of racilla and crease).	SEV-AUT-GROR	1 000	/ 49.00

Field tests by SEV			Price
DUS testing - Winter oat .	SEV-DHS-AVH		1190.00
DUS testing - Spring oat .	SEV-DHS-AVP		1190.00
DUS testing - Durum wheat .	SEV-DHS-BD		1450.00
DUS testing - Winter wheat .	SEV-DHS-BTH		1575.00
DUS testing - Spring wheat .	SEV-DHS-BTP		1575.00
DUS testing - Chia .	SEV-DHS-CHI	NEW	1490.00
DUS testing - Winter barley .	SEV-DHS-ORH		1575.00
DUS testing - Spring barley .	SEV-DHS-ORP		1575.00
DUS testing - Quinoa .	SEV-DHS-QUI	NEW	1490.00
DUS testing - Triticale .	SEV-DHS-TRI		1450.00

PUBLICATIONS - Contact SNES	
Germination analysis technical sheet	
Evaluation of Cereals seedlings.	GE-T-CER
Identification data sheet of seeds and other impurities	
Cereals (<i>Avena sativa</i> , <i>Triticum aestivum</i> , <i>Triticum durum</i> , <i>Hordeum vulgare</i> , <i>xSecale cereale</i>).	AP-C-5
<i>Sorghum bicolor</i> .	AP-C-17
<i>Avena fatua</i> - <i>Avena sativa</i> .	AP-A-02
Collection of seeds	
Weed's identification for Cereals analysis.	APCS-CER

SEED QUALITY

Physical quality

		Size	Duration	Price
Thousand-seed weight				
Thousand-seed weight on pure seeds on purity test performed by SNES.	MMS-01	/	/	34.00
Preparation of pure seeds for germination test				
All forage grasses species.	PU-PR-GRA	ISTA weight	/	33.20
Other forage species.	PU-PR-20	/	/	0.00
Purity analysis test				
Purity - Field bean, Faba bean, Lupin, Pea, Soybean.	PU-IS-02	ISTA weight	/	27.00
Purity on leguminous - Bermuda grass, Fenugreek, Birds-foot trefoil, Alfalfa, Black Medick, Phacelia, Plantain, Sainfoin, Clover, Vetch.	PU-IS-FOU1	ISTA weight	/	49.80
Purity on grasses - Festulolium, Tall fescue, Sweet vernal grass, Tall oat grass, Bahia grass, Harding grass, Rye grass, Meadow foxtail.	PU-IS-FOU2	ISTA weight	/	77.00
Purity on grasses - Bent-grass, Yellow oatgrass, Brome, Tufted hair grass, Cocksfoot, Sheep fescue, Red fescue, Meadow fescue, Timoty, Meadow grass.	PU-IS-FOU3	ISTA weight	/	88.00
Percentage of a specific type of other seeds. Specify the species to be mentioned.	PU-CONS1	/	/	9.40
Percentage of a specific type of inert materials. Specify the species to be mentioned.	PU-CONS2	/	/	9.40
Supplement for purity analysis if received as raw seeds.	PU-LB-SUP		Contact SNES	
Counting of all other seeds				
Full counting - Field bean, Faba bean, Lupin, Pea, Soybean.	SP-IS-02	ISTA weight	/	26.80
Full counting on leguminous - Alfalfa, Black Medick, Phacelia, Narrow-leaf plantain, Clover.	SP-IS-LEG1	ISTA weight	/	155.00
Full counting on leguminous - Fenugreek, Birds-foot trefoil, Sainfoin, Vetch.	SP-IS-LEG2	ISTA weight	/	234.00
Full counting on grasses - Festulolium, Tall fescue, Sweet vernal grass, Tall oat grass, Bahia grass, Harding grass, Rye grass, Meadow foxtail.	SP-IS-GRA1	ISTA weight	/	328.00
Full counting on grasses - Bent-grass, Yellow oatgrass, Brome, Tufted hair grass, Cocksfoot, Sheep fescue, Red fescue, Meadow fescue, Timoty, Meadow grass.	SP-IS-GRA2	ISTA weight	/	210.00
Counting of other seeds on purity weight. Indication of the number of other seeds in the specific purity test.	PU-SP-01	/	/	14.00
Limited counting of all other seeds				
Determination of a specific kind of other seeds, by number. Specify the species to be mentioned.	SP-CONS-1	NEW	/	9.40
Determination of a specific kind of inert materials, by number. Specify the species to be mentioned.	SP-CONS-2	NEW	/	9.40
Searching of 1 to 4 species (except for <i>Orobanchaceae</i>). Indicate the name of the species to be searched.	SP-LI-01	ISTA weight	/	66.00
Searching of 5 to 8 species (except for <i>Orobanchaceae</i>). Indicate the name of the species to be searched.	SP-LI-02	ISTA weight	/	106.00
Searching of more than 8 species (except for <i>Orobanchaceae</i>). Indicate the name of the species to be searched - Fenugreek, Bird's-foot trefoil, Sainfoin, Vetch.	SP-LI-05	/	/	176.00
Searching of more than 8 species (except for <i>Orobanchaceae</i>). Indicate the name of the species to be searched - Alfalfa, Black medick, Clovers.	SP-LI-07	/	/	138.00
Searching of more than 8 species (except for <i>Orobanchaceae</i>). Indicate the name of the species to be searched - Bentgrass, Cocksfoot, Meadow fescue, Red fescue, Sheep's fescue, Yellow oat, Timoty, Bluegrass.	SP-LI-10	/	/	123.00
Searching of more than 8 species (except for <i>Orobanchaceae</i>). Indicate the name of the species to be searched - Bromes, Cocksfoot, Festulolium, Tall fescue, Guinea grass, Harding's grass, Ryegrass, Meadowfoxtail.	SP-LI-14	/	/	318.00
Searching of more than 8 species (except for <i>Orobanchaceae</i>). Indicate the name of the species to be searched - Cabbage, Lentil, Phacelia, Forage radish.	SP-LI-19		Contact SNES	
Searching of <i>Cuscuta</i> spp. - Hybrid clover, Micheli's clover, Persian clover, Strawberry clover, Arrowleaf clover.	SP-CU100-T	< 100 g	/	94.00
	SP-CU250-T	150 - 300 g	/	269.00
	SP-CU500-T	400 - 600 g	/	488.00
Searching of <i>Cuscuta</i> spp. - Trefoil, Alfalfa, Black medick, White clover, Red clover, Carnation clover, Egyptian clover.	SP-CU100-P	< 100 g	/	38.80
	SP-CU250-P	150 - 300 g	/	95.00
	SP-CU500-P	400 - 600 g	/	183.00
Searching of <i>Avena fatua</i> - Pea, Vetch.	SP-AF-3KG2	3 kg	/	70.00
Searching by Veskof type - Alfalfa, Clover.	SP-VE-02	/	/	184.00
Searching by Veskof type - Brome, Cocksfoot/ Orchard grass , Tall oat grass.	SP-VE-10	/	/	97.00

Physical quality				
		Size	Duration	Price
Limited counting of all other seeds				
Searching by Veskof type - Harding's grass, Tall fescue, Festulolium, Ryegrass, Meadowfoxtail.	SP-VE-11	/	/	70.00
Searching by Veskof type - Other species.	SP-VE-AUTR		Contact SNES	
Searching by dehydration standard - Alfalfa.	SP-DESHY	/	/	87.00
Searching of <i>Orobanch</i> sp. Only on UNTREATED and UNCOATED seeds. Analyse performed on a separate, sealed, submitted subsample.	SP-ORO	ISTA weight	/	78.00
Searching of <i>Striga</i> sp. Only on UNTREATED and UNCOATED seeds. Analyse performed on a separate, sealed, submitted subsample.	SP-STRIGA	ISTA weight	/	78.00
Searching of <i>Orobanch</i> sp. and <i>Striga</i> sp. Only on UNTREATED and UNCOATED seeds. Analyse performed on a separate, sealed, submitted subsample.	SP-ORO-STR	ISTA weight	/	114.00
Tests on coated seeds				
Purity on coated seeds.	PU-IS-21	2 500	/	36.00
Moisture content - Provide seeds in watertight bags from which as much air as possible has been extracted				
Oven method (except Soybean).	TE-SN-01	ISTA weight	/	21.50
Identification of individual seeds				
Visual identification by species.	ID-IS-01	/	/	36.00
Insects detection				
Insect detection in a seed sample.	ID-INS-01 NEW	/	/	84.00

Physiological quality				
		Size	Duration	Price
Germination test on 400 seeds				
Festulolium, Fenugreek, Tall fescue, Timoty, Harding grass, Birdsfoot trefoil, Alfalfa, Black medick, Rye grass, Sainfoin, Clover, Meadow foxtail.	GE-FG-06-4	1 250	/	69.00
Bent-grass, Yellow oatgrass, Brome, Bermuda grass, Cocksfoot, Meadow fescue, Sheep fescue, Red fescue, Tall oat grass, Meadow grass, Vetch.	GE-FG-09-4	1 250	/	80.00
Fodder kale, Forage radish.	GE-FG-18-4	1 250	/	68.00
Forage pea.	GE-FG-02-4	1 250	/	62.00
Germination test on 200 seeds				
Festulolium, Fenugreek, Tall fescue, Timoty, Harding grass, Birdsfoot trefoil, Alfalfa, Black medick, Rye grass, Sainfoin, Clover, Meadow foxtail.	GE-FG-06-2	500	/	47.60
Bent-grass, Yellow oatgrass, Brome, Bermuda grass, Cocksfoot, Meadow fescue, Sheep fescue, Red fescue, Tall oat grass, Meadow grass, Vetch.	GE-FG-09-2	500	/	53.00
Fodder kale, Forage radish.	GE-FG-18-2	500	/	54.00
Forage pea.	GE-FG-02-2	500	/	52.00
Fluorescence				
Fluorescence of Rye grass roots on 400 seedlings (germination and identification). Enables distinguishing <i>Lolium perenne</i> showing no fluorescence unlike <i>Lolium multiflorum</i> and <i>Lolium boucheanum</i> these exhibit fluorescent roots.	FLUO-1	/	/	119.00

Bacteriology - Uncoated seeds only				
		Size	Duration	Price
Brassicaceae (Broccoli, Cabbage, Cauliflower, Turnip, Radish, Rocket) - Detection of 1 pathogen				
<i>Xanthomonas campestris</i> pv. <i>campestris</i> (Xcc)				
Agar method + pathogenicity test in case of suspect colonies (ISTA 7-019a without counting of colonies).	PA-BA-04	30 000	36 days	229.00
Agar method + counting of colonies + pathogenicity test in case of suspect colonies (ISTA 7-019a).	PA-BA-03	30 000	36 days	241.00
Disinfected seeds . Grinding + agar method + pathogenicity test in case of suspect colonies (ISTA 7-019b without counting of colonies).	PA-BA-105	30 000	36 days	272.00
Disinfected seeds . Grinding + agar method + counting of colonies + pathogenicity test in case of suspect colonies (ISTA 7-019b).	PA-BA-05	30 000	36 days	287.00
<i>Xanthomonas campestris</i> pv. <i>raphani</i> (armoraciae) (Xcr)				
Agar method + pathogenicity test in case of suspect colonies.	PA-BA-29	30 000	36 days	220.00
Disinfected seeds. Grinding + agar method + pathogenicity test in case of suspect colonies.	PA-BA-30	30 000	36 days	272.00

Bacteriology - Uncoated seeds only

		Size	Duration	Price
Brassicaceae (Broccoli, Cabbage, Cauliflower, Turnip, Radish, Rocket) - Detection of 1 pathogen				
<i>Pseudomonas syringae</i> pv. <i>maculicola</i> (Psm)				
Agar method + pathogenicity test in case of suspect colonies.	PA-BA-10	30 000	36 days	234.00
Disinfected seeds. Grinding + agar method + pathogenicity test in case of suspect colonies.	PA-BA-33	30 000	36 days	277.00
Brassicaceae (Broccoli, Cabbage, Cauliflower, Turnip, Radish, Rocket) - Detection of 2 pathogens				
Xcc + Xcr				
Agar method + pathogenicity test in case of suspect colonies (ISTA 7-019a without counting of colonies for Xcc and Xcr).	PA-BA-06	30 000	36 days	277.00
Disinfected seeds. Grinding + agar method + pathogenicity test in case of suspect colonies (ISTA 7-019b without counting of colonies for Xcc).	PA-BA-07	30 000	36 days	329.00
Xcc + Psm				
Agar method + pathogenicity test in case of suspect colonies (ISTA 7-019a without counting of colonies for Xcc).	PA-BA-45	30 000	36 days	337.00
Xcr + Psm				
Agar method + pathogenicity test in case of suspect colonies.	PA-BA-46	30 000	36 days	337.00
Brassicaceae (Broccoli, Cabbage, Cauliflower, Turnip, Radish, Rocket) - Detection of 3 pathogens				
Xcc + Xcr + Psm				
Agar method + pathogenicity test in case of suspect colonies (ISTA 7-019a without counting of colonies for Xcc and Xcr).	PA-BA-08	30 000	36 days	394.00
Pea - Detection of 1 pathogen				
<i>Pseudomonas syringae</i> pv. <i>pisi</i> (Psp)				
Agar method + pathogenicity test in case of suspect colonies (method derived from Anses BHs/99/03).	PA-BA-21	5 000	26 days	204.00
	PA-BA-70	15 000	26 days	304.00
Agar method + pathogenicity test in case of suspect colonies (ISTA 7-029).	PA-BA-21-1	5 000	32 days	250.00
<i>Pseudomonas syringae</i> pv. <i>syringae</i> (Pss)				
Agar method + pathogenicity test in case of suspect colonies (Anses BHs/99/03).	PA-BA-22	5 000	32 days	228.00
Agar method + pathogenicity test in case of suspect colonies.	PA-BA-84	15 000	32 days	304.00
Pea - Detection of 2 pathogens				
Psp + Pss				
Agar method + pathogenicity test in case of suspect colonies (Anses BHs/99/03).	PA-BA-22-2	5 000	36 days	259.00
	PA-BA-85	15 000	36 days	394.00
Vetch				
<i>Pseudomonas syringae</i> pv. <i>pisi</i>				
Agar method + PCR in case of suspect colonies (method derived from Anses BHs/99/03).	PA-BA-99	5 000	33 days	225.00
Pea - Supplement fee pathogenicity test				
<i>Pseudomonas syringae</i> pv. <i>pisi</i>				
Confirmation by pathogenicity test PCR positive isolates.	PA-PP-PSP	/	9 days	81.00

Mycology - See p.8 "Seed health"

		Size	Duration	Price
Brassicaceae (Cabbage, Rape, Turnip, Radish, Rocket)				
<i>Leptosphaeria maculans</i> and/or <i>Plenodomus biglobosus</i> (<i>Phoma lingam</i>), <i>Alternaria brassicae</i>, <i>Alternaria brassicicola</i>, <i>Alternaria japonica</i>, <i>Sclerotinia sclerotiorum</i>, <i>Botrytis cinerea</i>, <i>Phoma</i> sp.				
Agar method (derived from ISTA method 7-004).	PA-ES-CHO	400	19 days	110.00
<i>Leptosphaeria maculans</i> and/or <i>Plenodomus biglobosus</i> (<i>Phoma lingam</i>)				
Agar method (ISTA 7-004).	PA-PH-CHO	1 000	25 days	272.00
<i>Albugo candida</i>				
Seed wash method. UNTREATED seeds only.	PA-ALB-CHO	500	15 days	106.00
<i>Hyaloperonospora parasitica</i> (downy mildew)				
Seed wash method. UNTREATED seeds only.	PA-MI-CHO	500	15 days	106.00
Grow-out method (viability testing).	PA-MICHOGO	400	42 days	134.00
Brome				
<i>Ustilago bullata</i> (<i>Ustilago bromivora</i>) and <i>Ustilago striiformis</i>				
Seed wash method. UNTREATED seeds only.	PA-CH-BRO	500	15 days	106.00

Mycology - See p.8 "Seed health"

		Size	Duration	Price
Cocksfoot/ Orchard Grass				
<i>Pyrenophora lolii</i> (<i>Helminthosporium siccans</i>), <i>Pyrenophora dictyoides</i> (<i>Helminthosporium dictyoides</i>), <i>Colletotrichum graminicola</i> (<i>Glomerella graminicola</i>), <i>Fusarium</i> sp., <i>Botrytis</i> sp., <i>Helminthosporium</i> sp.				
Agar method without superficial disinfection.	PA-ES-DAC	400	19 days	110.00
Fescue				
<i>Pyrenophora lolii</i> (<i>Helminthosporium siccans</i>), <i>Pyrenophora dictyoides</i> (<i>Helminthosporium dictyoides</i>), <i>Microdochium</i> sp., <i>Fusarium</i> sp., <i>Botrytis</i> sp., <i>Helminthosporium</i> sp.				
Agar method without superficial disinfection.	PA-ES-FET	400	19 days	110.00
Alfalfa				
<i>Ascochyta medicaginicola</i> (<i>Ascochyta imperfecta</i>), <i>Fusarium oxysporum</i> , <i>Fusarium avenaceum</i> , <i>Verticillium</i> sp., <i>Stemphylium</i> sp., <i>Sclerotinia</i> sp., <i>Colletotrichum</i> sp., <i>Botrytis cinerea</i> , <i>Fusarium</i> sp.				
Agar method without superficial disinfection.	PA-ES-LUZ	400	19 days	110.00
Millet				
<i>Ustilago</i> sp., <i>Sporisorium destruens</i> (<i>Sphacelotheca destruens</i>) or <i>Moesziomyces bullatus</i> (<i>Tolyposporium penicillariae</i>)				
Seed wash method. Please indicate the Latin name of millet. UNTREATED seeds only.	PA-CH-MIL	500	15 days	106.00
Pea				
<i>Didymella pisi</i> (<i>Ascochyta pisi</i>), <i>Didymella pinodes</i> (<i>Mycosphaerella pinodes</i>), <i>Didymella pinodella</i> (<i>Phoma pinodella</i>), <i>Stemphylium botryosum</i> , <i>Fusarium</i> sp., <i>Botrytis</i> sp., <i>Sclerotinia</i> sp., <i>Phoma</i> sp.				
Agar method with superficial disinfection. UNTREATED seeds only.	PA-ES-POID	400	19 days	115.00
Agar method without superficial disinfection. Treated seeds only.	PA-ES-POI	400	19 days	110.00
<i>Peronospora viciae</i> (<i>Peronospora pisi</i>) (downy mildew)				
Seed wash method. UNTREATED seeds only.	PA-MI-POI	500	15 days	106.00
<i>Didymella pisi</i> (<i>Ascochyta pisi</i>)				
Agar method (ISTA 7-005).	PA-ANT-POI	400	19 days	115.00
Radish				
<i>Hyaloperonospora parasitica</i> (<i>Peronospora parasitica</i>) (downy mildew)				
Seed wash method. UNTREATED seeds only.	PA-MI-RAD	500	15 days	106.00
Grow-out method (viability testing).	PA-MIRADGO	400	42 days	134.00
Rye-grass				
<i>Pyrenophora lolii</i> (<i>Helminthosporium siccans</i>), <i>Pyrenophora dictyoides</i> (<i>Helminthosporium dictyoides</i>), <i>Microdochium</i> sp., <i>Fusarium</i> sp., <i>Botrytis</i> sp., <i>Helminthosporium</i> sp.				
Agar method without superficial disinfection.	PA-ES-RAY	400	19 days	110.00
Clover				
<i>Ascochyta medicaginicola</i> (<i>Ascochyta imperfecta</i>), <i>Fusarium oxysporum</i> , <i>Fusarium avenaceum</i> , <i>Verticillium</i> sp., <i>Stemphylium</i> sp., <i>Sclerotinia</i> sp., <i>Colletotrichum</i> sp., <i>Botrytis cinerea</i> , <i>Fusarium</i> sp.				
Agar method without superficial disinfection.	PA-ES-TRE	400	19 days	110.00

Nematology

		Size	Duration	Price
Alfalfa				
<i>Ditylenchus dipsaci</i>				
Detection by SE-qPCR and/or morphobiometry (method GEVES M-GEVES/SV/MO/001 COFRAC). UNTREATED seed only.	PA-NE-LUZG	200 g	10 days	67.00
If the supplied quantity is too important, a new sample will be requested.				
Detection on plants. Filtration and morphological identification (Anses method MOA013 parts A and B).	PA-NE-PLAN	/	16 days	88.00
Pea				
<i>Ditylenchus dipsaci</i>				
Filtration and morphological identification (method Anses MOA013 parts A COFRAC and B COFRAC). UNTREATED seeds only.	PA-NE-POIS	200 g	16 days	79.00
Test carried out on the whole submitted sample. If the supplied quantity is too important, a new sample will be requested.				

Nematology

Rye-grass

Ditylenchus dipsaci

Filtration and morphological identification (method Anses MOA013 parts A COFRAC and B COFRAC). **UNTREATED seeds only.**
Test carried out on the whole submitted sample. **If the supplied quantity is too important, a new sample will be requested.**

PA-NE-RAY

Size Duration Price

70 g 16 days 79.00

Clover

Ditylenchus dipsaci

Filtration and morphological identification (method Anses MOA013 parts A COFRAC and B COFRAC). **UNTREATED seeds only.**
Test carried out on the whole submitted sample. **If the supplied quantity is too important, a new sample will be requested.**

PA-NE-TRE

70 g 16 days 79.00

Virology - Uncoated seeds only

Alfalfa

Alfalfa mosaic (AMV)

ELISA.

PA-VI-71

3 000 16 days 168.00

Pea

Tomato black ring virus (TBRV)

ELISA.

PA-VI-37

2 000 16 days 213.00

Pea early browning virus (PEBV)

ELISA (ISTA 7-024).

PA-VI-31

2 000 16 days 214.00

Pea enation mosaic virus (PEMV)

ELISA.

PA-VI-57

2 000 16 days 259.00

Bean yellow mosaic virus (BYMV)

ELISA.

PA-VI-60

2 000 16 days 282.00

Bean leaf roll virus (BLRV)

ELISA.

PA-VI-67

2 000 16 days 257.00

Southern bean mosaic virus (SBMV)

ELISA.

PA-VI-88

2 000 16 days 257.00

Broad bean true mosaic virus (BBTMV)

ELISA.

PA-VI-50

2 000 16 days 257.00

Pea, Vetch

Pea seed borne mosaic virus (PSbMV)

ELISA (ISTA 7-024).

PA-VI-11

2 000 16 days 180.00

EVALUATION OF VARIETIES

Varietal resistance

Size Duration Price

Cabbage

Fusarium oxysporum f. sp. *conglutinans* race 1

Official protocol.

PA-R-CHO

45 / 343.00

Plasmodiophora brassicae

GEVES protocol.

PA-R-CHO-1

45 / 252.00

Brassicaceae (Mustard, Forage radish)

Heterodera schachtii

Official protocol.

PA-R-CRU

Contact SNES

Meloidogyne incognita

Official protocol.

PA-R-CRU1

45 / 199.00

Meloidogyne hapla

Official protocol.

PA-R-CRU2

45 / 245.00

Meloidogyne javanica

Official protocol.

PA-R-CRU3

45 / 296.00

Different prices outside test periods. Contact SNES for information on the periods according to the species.

Varietal resistance

		Size	Duration	Price
Brassicaceae (Mustard, Forage radish)				
Meloidogyne chitwoodi ⁴⁰				
Official protocol.	PA-R-CRU4	45	/	190.00
Meloidogyne fallax ⁴⁰				
Official protocol	PA-R-CRU5		Contact SNES	
Festulolium, Fescue, Rye-grass, Italian Rye-grass				
Xanthomonas translucens pv. graminis				
Official protocol.	PA-R-RAY	162	/	343.00
Alfalfa				
Ditylenchus dipsaci				
Official protocol.	PA-R-LUZ-1	2 000	/	708.00
Verticillium albo-atrum				
Official protocol.	PA-R-LUZ-2	500	/	558.00
Colletotrichum trifolii				
Official protocol.	PA-R-LUZ-3	500	/	256.00
Identification of the race.	PA-R-IDCOL		Contact SNES	
Fusarium oxysporum f. sp. medicaginis				
GEVES protocol.	PA-R-LUZ-5	500	/	418.00
Pea				
Didymella pisi race C				
Official protocol.	PA-R-POI-1	30	/	106.00
Fusarium oxysporum f. sp. pisi race 1				
Official protocol.	PA-R-POI-2	30	/	119.00
BYMV (Bean yellow mosaic virus)				
Official protocol.	PA-R-POI-3	30	/	110.00
PEMV (Pea enation mosaic virus)				
Official protocol.	PA-R-POI-4	30	/	126.00
Erysiphe pisi				
Official protocol.	PA-R-POI-5	30	/	177.00

Different prices outside test periods. Contact SNES for information on the periods according to the species.

Technological quality : biochemicals tests

		Size	Duration	Price
Alfalfa, Pea				
Tannin content (assay by spectrophotometry).	BI-B-SPEC-TAN		Contact BioGEVES	
Pea				
Antitrypsic factors (assay by spectrophotometry).	BI-B-SPEC-FAT		Contact BioGEVES	

Genotyping by molecular biology

		Size	Duration	Price
Fodder Kale, Pea				
Varietal identity control - SSR.	BI-G-BM-SSR-CID-1		Contact BioGEVES	
Varietal purity analysis - SSR - 90 seeds.	BI-G-BM-SSR-PUR-90		Contact BioGEVES	

Field tests by SEV

		Price
DUS testing - Brome.	SEV-DHS-BRO	1210.00
DUS testing - Salzmänn's restharrow, Fenugreek, Dwarf chickling vetch, Chickling vetch, Hybrid vetch, Narrow-leaved plantain, Field Pea, Berseem clover, Crimson clover, Balansa clover, Persian clover, Clover squarrosom, Arrow-leaf clover, Common Vetch, Hairy vetch, Hungarian vetch, Reddich turfted vetch.	SEV-DHS-AUTFOU	1210.00
DUS testing - Cocksfoot, Tall fescue.	SEV-DHS-DACFET	1500.00
DUS testing - Festulolium.	SEV-DHS-FES	1210.00
DUS testing - Alfalfa.	SEV-DHS-LUZ	1700.00
DUS testing - Field Pea.	SEV-DHS-POIF	1210.00
DUS testing - Sainfoin.	SEV-DHS-SAI	1210.00
New assessment of the value in use of a variety of turf in the catalogue : over 3 years, price per year.	SEV-RETEST-GAZ	2500.00

PUBLICATIONS - Contact SNES

Method sheet

Vigour testing - Conductivity - **Pea**.

VIG-2-M

Germination analysis technical sheet

Evaluation of **Cabbage** seedlings.

GE-T-CHOU

Evaluation of **Alfafa** seedlings.

GE-T-LUZ

Evaluation of **Pea** seedlings.

GE-T-POI

Evaluation of **Radish** seedlings.

GE-T-RAD

Technical sheet for analysis of specific purity and counting of all other seeds

Gramineae (*Lolium* spp., *Festuca arundinacea*, *Festuca* cf. *ovina rubra*, *Festuca pratensis*, *Dactylis glomerata*).

AP-C-1

Trifolium spp.

AP-C-1B

Brassica napus.

AP-C-4

Medicago sativa, *Trifolium pratense*.

AP-C-7

Pisum sativum, *Vicia faba*.

AP-C-8

Vicia sativa.

AP-C-11

Seed blower calibration for uniform blowing (*Dactylis glomerata*, *Poa pratensis*, *Poa trivialis*).

AP-M-2

Identification data sheet of seeds and other impurities

Polygonaceae (*Persicaria maculosa*, *Persicaria lapathifolia*, *Fallopia convolvulus*, *Polygonum aviculare*, *Rumex* sp., *Rumex acetosella*, *Rumex maritimus*).

AP-A-03

Chenopodium sp., *Atriplex* sp., *Amaranthus* sp., *Reseda* sp., *Myosotis* sp.

AP-A-04

Lathyrus spp. (*Lathyrus sylvestris*, *Lathyrus latifolius*, *Lathyrus hirsutus*, *Lathyrus tuberosus*, *Lathyrus odoratus*, *Lathyrus aphaca*, *Lathyrus pratensis*, *Lathyrus sativus*, *Lathyrus cicera*).

AP-A-05

Asteraceae (*Anthemis arvensis*, *Glebionis segetum*, *Chicorium* sp., *Tripleurospermum inodorum*, *Helminthotheca echioides*, *Lapsana communis*, *Lactuca sativa*, *Sonchus* spp., *Cirsium arvense*, *Cirsium vulgare*, *Centaurea cyanus*).

AP-A-06

Cuscuta spp.

AP-P-1

Claviceps purpurea - *Sclerotinia sclerotiorum*.

AP-P-2

Collection of seeds

Weed's identification for ***Brassica napus*** analysis.

APCS-BRA-N

Weed's identification for ***Medicago sativa*** and ***Trifolium pratense*** analysis.

APCS-MED-S

Weed's identification for ***Pisum sativum*** and ***Vicia faba*** analysis.

APCS-PIS-S

Seed mixture species

SEED QUALITY

Physical quality

		Size	Duration	Price
Purity analysis test and determination of the composition of a seed mixture of species - Only on naked seeds				
Less than 4 components WITH declared composition ² .	PU-MEL-01	/	60 days	534.00
From 4 components WITH declared composition ² .	PU-MEL-02		Contact SNES	
WITHOUT declared composition.	PU-MEL-03	/	60 days	877.00
Preparation of pure seed for germination testing				
Seed mixture (less than 4 components) WITH declared composition ² .	PU-PR-19	/	/	220.00
From 4 components WITH declared composition ² .	PU-PR-22		Contact SNES	
WITHOUT declared composition.	PU-PR-19-1	/	/	528.00
Preparation of pure seeds in dragees on coated seed mixture.	PU-PR-19-2	/	/	37.30

² Provide the % of species in the seed mixture.

Physiological quality ³

Germination test on 400 seeds	
Species mixture by component.	GE-FG-19-4
Germination test on 200 seeds	
Species mixture by component.	GE-FG-19-2

³ See details of price and size in the chapter of the species. All the species of the seed mixture will be analyzed whatever is the proportion, except opposite request.

SEED QUALITY

Physical quality

		Size	Duration	Price
Thousand-seed weight				
Thousand-seed weight on pure seeds on purity test performed by SNES.	MMS-01	/	/	34.00
Purity analysis test				
Purity - Hemp.	PU-IS-14	ISTA weight	/	47.40
Purity - Flax.	PU-IS-15	ISTA weight	/	35.00
Percentage of a specific type of other seeds. Specify the species to be mentioned.	PU-CONS1	/	/	9.40
Percentage of a specific type of inert materials. Specify the species to be mentioned.	PU-CONS2	/	/	9.40
Supplement for purity analysis if received as raw seeds.	PU-LB-SUP		Contact SNES	
Counting of all other seeds				
Full counting - Hemp.	SP-IS-13	ISTA weight	/	82.00
Full counting - Flax.	SP-IS-14	ISTA weight	/	47.40
Counting of other seeds on purity weight. Indication of the number of other seeds in the specific purity test.	PU-SP-01	/	/	14.00
Limited counting of all other seeds				
Determination of a specific kind of other seeds, by number. Specify the species to be mentioned.	SP-CONS-1 NEW	/	/	9.40
Determination of a specific kind of inert materials, by number. Specify the species to be mentioned.	SP-CONS-2 NEW	/	/	9.40
Searching of 1 to 4 species (except for <i>Orobanchaceae</i>). Indicate the name of the species to be searched.	SP-LI-01	ISTA weight	/	66.00
Searching of 5 to 8 species (except for <i>Orobanchaceae</i>). Indicate the name of the species to be searched.	SP-LI-02	ISTA weight	/	106.00
Searching of more than 8 species (except for <i>Orobanchaceae</i>). Indicate the name of the species to be searched.	SP-LI-15	/	/	38.50
Searching of <i>Orobanche</i> sp. Only on UNTREATED and UNCOATED seeds. Analyse performed on a separate, sealed, submitted subsample.	SP-ORO	ISTA weight	/	78.00
Searching of <i>Striga</i> sp. Only on UNTREATED and UNCOATED seeds. Analyse performed on a separate, sealed, submitted subsample.	SP-STRIGA	ISTA weight	/	78.00
Searching of <i>Orobanche</i> sp. and <i>Striga</i> sp. Only on UNTREATED and UNCOATED seeds. Analyse performed on a separate, sealed, submitted subsample.	SP-ORO-STR	ISTA weight	/	114.00
Moisture content - Provide seeds in watertight bags from which as much air as possible has been extracted				
Oven method (except Soybean).	TE-SN-01	ISTA weight	/	21.50
Identification of individual seeds				
Visual identification by species.	ID-IS-01	/	/	36.00
Insects detection				
Insect detection in a seed sample.	ID-INS-01 NEW	/	/	84.00

Physiological quality

		Size	Duration	Price
Germination test on 400 seeds				
Hemp, Flax.	GE-FG-14-4	1 250	/	59.00
Germination test on 200 seeds				
Hemp, Flax.	GE-FG-14-2	500	/	44.50

Mycology - See p.8 "Seed health"

		Size	Duration	Price
Hemp				
<i>Botrytis cinerea</i>, <i>Sclerotinia sclerotiorum</i>				
Blotter method.	PA-ES-CHA	400	23 days	145.00
Flax				
<i>Botrytis cinerea</i>, <i>Boeremia exigua</i> (<i>Phoma exigua</i>), <i>Colletotrichum linicola</i> (<i>Colletotrichum lini</i>), <i>Alternaria linicola</i>, <i>Fusarium</i> sp.				
Agar method without superficial disinfection (method M-GEVES/SV/MO/002).	PA-ES-LIN	400	23 days	110.00

Mycology - See p.8 "Seed health"				
		Size	Duration	Price
Flax				
<i>Alternaria linicola, Botrytis cinerea, Colletotrichum linicola (Colletotrichum lini)</i>				
Agar method (method ISTA 7-007).	PA-BOT-LIN	400	23 days	110.00

EVALUATION OF VARIETIES				
Varietal resistance				
		Size	Duration	Price
Hemp				
Phelipanche ramosa				
Official protocol.	GE-TR-CHOR	/	/	390.00

Genotyping by molecular biology			
	Size	Duration	Price
Flax			
Varietal identity control - SSR.	BI-G-BM-SSR-CID-1	Contact BioGEVES	
Varietal purity analysis - SSR - 90 seeds.	BI-G-BM-SSR-PUR-90	Contact BioGEVES	

Technological quality: biochemicals tests			
	Size	Duration	Price
Flax			
Fatty acid composition (GC).	BI-B-CPG-AG	Contact BioGEVES	
Oil content (NMR).	BI-B-RMN-H	Contact BioGEVES	

Field tests by SEV			Price
DUS testing - Hemp fibre or seed use.	SEV-DHS-CHA		1490.00
DUS testing - Flax , Linseed.	SEV-DHS-LIN		1360.00

PUBLICATIONS - Contact SNES	
Germination analysis technical sheet	
Evaluation of Hemp and Flax seedlings.	GE-T-LIN

SEED QUALITY

Physical quality

		Size	Duration	Price
Thousand-seed weight				
Thousand-seed weight on pure seeds on purity test performed by SNES.	MMS-01	/	/	34.00
Purity analysis test				
Purity - Corn, Sorghum .	PU-IS-02	ISTA weight	/	27.00
Percentage of a specific type of other seeds. Specify the species to be mentioned.	PU-CONS1	/	/	9.40
Percentage of a specific type of inert materials. Specify the species to be mentioned.	PU-CONS2	/	/	9.40
Supplement for purity analysis if received as raw seeds.	PU-LB-SUP		Contact SNES	
Counting of all other seeds				
Full counting - Corn, Sorghum .	SP-IS-02	ISTA weight	/	26.80
Counting of other seeds on purity weight. Indication of the number of other seeds in the specific purity test.	PU-SP-01	/	/	14.00
Limited counting of all other seeds				
Determination of a specific kind of other seeds, by number. Specify the species to be mentioned.	SP-CONS-1 NEW	/	/	9.40
Determination of a specific kind of inert materials, by number. Specify the species to be mentioned.	SP-CONS-2 NEW	/	/	9.40
Searching of 1 to 4 species (except for <i>Orobanchaceae</i>). Indicate the name of the species to be searched.	SP-LI-01	ISTA weight	/	66.00
Searching of 5 to 8 species (except for <i>Orobanchaceae</i>). Indicate the name of the species to be searched.	SP-LI-02	ISTA weight	/	106.00
Searching of more than 8 species (except for <i>Orobanchaceae</i>). Indicate the name of the species to be searched.	SP-LI-03	/	/	125.00
Moisture content - Provide seeds in watertight bags from which as much air as possible has been extracted				
Oven method (except Soybean).	TE-SN-01	ISTA weight	/	21.50
Identification of individual seeds				
Visual identification by species.	ID-IS-01	/	/	36.00
Insects detection				
Insect detection in a seed sample.	ID-INS-01 NEW	/	/	84.00

Physiological quality

		Size	Duration	Price
Germination test on 400 seeds				
Corn, Sorghum.	GE-FG-01-4	1 250	/	53.00
Germination test on 200 seeds				
Corn, Sorghum.	GE-FG-01-2	500	/	43.50
Vigour tests				
Cold-test on 400 seeds.	GE-CO	1 250	/	72.00
Cold-test on 200 seeds.	GE-CO2	500	/	46.10
Accelerated ageing of 200 seeds including germination capacity.	GE-VIEI-2	500	/	94.00
Radicle emergence test on 200 seeds (ISTA test) - Corn .	GE-EM	/	/	80.00
Corn root length evaluation after 7 days germination at 15°C (4 replicates of 20 seeds).	GE-RAC	/	/	80.00

Mycology - See p.8 "Seed health"

		Size	Duration	Price
Corn				
<i>Bipolaris zeicola</i> (<i>Helminthosporium carbonum</i>), <i>Fusarium</i> (section <i>Liseola</i> and other sections), <i>Cephalosporium</i> sp., <i>Cochliobolus heterostrophus</i> (<i>Helminthosporium maydis</i>), <i>Stenocarpella maydis</i> (<i>Diplodia maydis</i>), <i>Stenocarpella macrospora</i> (<i>Diplodia macrospora</i>), <i>Colletotrichum graminicola</i>, <i>Nigrospora</i> sp.				
Agar method with superficial disinfection. UNTREATED seeds only.	PA-ES-MAID	400	19 days	115.00
Agar method without superficial disinfection. Treated seeds only.	PA-ES-MAI	400	19 days	110.00

Corn and sorghum

Mycology - See p.8 "Seed health"				
		Size	Duration	Price
Corn				
Ustilago maydis (Mycosaecoma maydis), Sporisorium reilianum (Sphacelotheca reiliana)				
Seed wash method. UNTREATED seeds only.	PA-CH-MAIS	500	15 days	106.00
Sclerospora sp., Sclerophthora sp., Peronosclerospora sp.				
Seed wash method. UNTREATED seeds only.	PA-MI-MAIS	500	15 days	106.00
Sorghum				
Bipolaris oryzae (Helminthosporium oryzae), Bipolaris cookei (Helminthosporium sorghicola), Fusarium section liseola, Fusarium sp., Macrophomina phaseolina, Helminthosporium sp.				
Agar method.	PA-ES-SOR	400	19 days	110.00

Virology - Uncoated seeds only		Size	Duration	Price
Corn - Detection of 1 pathogen				
Maize chlorotic mottle virus (MCMV)				
ELISA on plantlets.	PA-VI-66	1 000	37 days	330.00
Maize dwarf mosaic virus (MDMV)				
ELISA on plantlets.	PA-VI-44	1 000	37 days	330.00
Wheat high plains virus (WHPV)				
ELISA on plantlets.	PA-VI-62	1 000	37 days	336.00
Sugarcane mosaic virus (SCMV)				
ELISA on plantlets.	PA-VI-89	1 000	37 days	330.00
Wheat streak mosaic virus (WSMV)				
ELISA on plantlets.	PA-VI-92	1 000	37 days	336.00
Corn - Detection of 2 pathogens. Specify the 2 required viruses				
MCMV/MDMV/SCMV/WSMV				
ELISA on plantlets.	PA-VI-59	1 000	37 days	488.00
Corn - Detection of 3 pathogens. Specify the 3 required viruses				
MCMV/MDMV/SCMV/WSMV				
ELISA on plantlets.	PA-VI-96	1 000	37 days	608.00
Corn - Detection of 4 pathogens				
MCMV/MDMV/SCMV/WSMV				
ELISA on plantlets.	PA-VI-54	1 000	37 days	860.00

EVALUATION OF VARIETIES				
Genotyping by protein profiling				
		Size	Duration	Price
Corn				
Varietal comparison by isoenzyme electrophoresis.	BI-G-EL-COMP-M		Contact BioGEVES	
Hybrid conformity by isoenzyme electrophoresis.	BI-G-EL-CONF-M		Contact BioGEVES	
Description of a lineage for 19 loci out of 4 seeds.	BI-G-EL-DVAR-M-19		Contact BioGEVES	
Description of a lineage for 14 loci out of 4 seeds.	BI-G-EL-DVAR-M-14		Contact BioGEVES	
Identity check test of a line or a hybrid in relation to genitors declared for 14 loci out of 10 grains.	BI-G-EL-CID-M-10		Contact BioGEVES	
Identity check test of a line or a hybrid in relation to genitors declared for 14 loci out of 30 grains.	BI-G-EL-CID-M-30		Contact BioGEVES	
Purity control by iso-enzymatic electrophoresis - 14l.	BI-G-EL-PUR-M-14		Contact BioGEVES	
Purity control by iso-enzymatic electrophoresis - 19l.	BI-G-EL-PUR-M-19		Contact BioGEVES	

Genotyping by molecular biology				
		Size	Duration	Price
Corn, Sorghum				
Varietal identity control - SSR.	BI-G-BM-SSR-CID-1		Contact BioGEVES	
Varietal purity analysis - SSR - 90 seeds.	BI-G-BM-SSR-PUR-90		Contact BioGEVES	

Corn and sorghum

Genotyping by molecular biology

	Size	Duration	Price
Corn Hybrid conformity - SSR.	BI-G-BM-SSR-CONF	Contact BioGEVES	

Technological quality: biochemicals tests

	Size	Duration	Price
Sorghum Tannin content (assay by spectrophotometry).	BI-B-SPEC-TAN	Contact BioGEVES	

Detection, identification and quantification of GMOs

	Size	Duration	Price
Corn Detection of the adventitious presence of GMOs in raw products (seeds, grains COFRAC). List of methods available on request.	BI-D-OGM	Contact BioGEVES	
Identification and quantification of GMO events (COFRAC). List of methods available on request.	BI-D-OGM2	Contact BioGEVES	

Field tests by SEV

		Price
DUS testing - Corn . Contact valerie.uyttewaal@geves.fr.	SEV-DHS-MAIS	/
DUS testing - Sorghum . Contact valerie.uyttewaal@geves.fr.	SEV-DHS-SOR	/

PUBLICATIONS - Contact SNES

Germination analysis technical sheet Evaluation of Corn seedlings.	GE-FAP-ZM
Technical sheet for analysis of specific purity and counting of all other seeds <i>Zea mays</i> .	AP-C-6
Identification data sheet of seeds and other impurities <i>Sorghum bicolor</i> .	AP-C-17
Collection of seeds Weed's identification for <i>Zea mays</i> analysis.	APCS-ZEA-M

SEED QUALITY

Physical quality

		Size	Duration	Price
Thousand-seed weight				
Thousand-seed weight on pure seeds on purity test performed by SNES.	MMS-01	/	/	34.00
Purity analysis test				
Purity - Sunflower.	PU-IS-02	ISTA weight	/	27.00
Purity - Cabbage-Turnip, Rapeseed, Rutabaga.	PU-IS-17	ISTA weight	/	39.70
Percentage of a specific type of other seeds. Specify the species to be mentioned.	PU-CONS1	/	/	9.40
Percentage of a specific type of inert materials. Specify the species to be mentioned.	PU-CONS2	/	/	9.40
Supplement for purity analysis if received as raw seeds.	PU-LB-SUP		Contact SNES	
Counting of all other seeds				
Full counting - Sunflower.	SP-IS-15	ISTA weight	/	73.00
Full counting - Cabbage-Turnip, Rapeseed, Rutabaga.	SP-IS-16	ISTA weight	/	124.00
Counting of other seeds on purity weight. Indication of the number of other seeds in the specific purity test.	PU-SP-01	/	/	14.00
Limited counting of all other seeds				
Determination of a specific kind of other seeds, by number. Specify the species to be mentioned.	SP-CONS-1 NEW	/	/	9.40
Determination of a specific kind of inert materials, by number. Specify the species to be mentioned.	SP-CONS-2 NEW	/	/	9.40
Searching of 1 to 4 species (except for <i>Orobanchaceae</i>). Indicate the name of the species to be searched.	SP-LI-01	ISTA weight	/	66.00
Searching of 5 to 8 species (except for <i>Orobanchaceae</i>). Indicate the name of the species to be searched.	SP-LI-02	ISTA weight	/	106.00
Searching of 5 to 8 species (except for <i>Orobanchaceae</i>). Indicate the name of the species to be searched. Rapeseed - Mustard, Turnip Rape.	SP-LI-18	/	/	106.00
Searching of more than 8 species (except for <i>Orobanchaceae</i>). Indicate the name of the species to be searched - Sunflower.	SP-LI-15	/	/	38.50
Searching of <i>Orobanche</i> sp. Only on UNTREATED and UNCOATED seeds. Analyse performed on a separate, sealed, submitted subsample.	SP-ORO	ISTA weight	/	78.00
Searching of <i>Striga</i> sp. Only on UNTREATED and UNCOATED seeds. Analyse performed on a separate, sealed, submitted subsample.	SP-STRIGA	ISTA weight	/	78.00
Searching of <i>Orobanche</i> sp. and <i>Striga</i> sp. Only on UNTREATED and UNCOATED seeds. Analyse performed on a separate, sealed, submitted subsample.	SP-ORO-STR	ISTA weight	/	114.00
Moisture content - Provide seeds in watertight bags from which as much air as possible has been extracted				
Oven method (except Soybean).	TE-SN-01	ISTA weight	/	21.50
Identification of individual seeds				
Visual identification by species.	ID-IS-01	/	/	36.00
Insects detection				
Insect detection in a seed sample.	ID-INS-01 NEW	/	/	84.00

Physiological quality

		Size	Duration	Price
Germination test on 400 seeds				
Sunflower.	GE-FG-16-4	1 250	/	62.00
Rapeseed, Mustard, Turnip Rapeseed.	GE-FG-17-4	1 250	/	56.00
Germination test on 200 seeds				
Sunflower.	GE-FG-16-2	500	/	52.00
Rapeseed, Mustard, Turnip Rapeseed.	GE-FG-17-2	500	/	43.30
Vigour test				
Cold Test on 400 seeds - Sunflower.	GE-CO-TO-4	1 250	/	72.00
Cold Test on 200 seeds - Sunflower.	GE-CO-TO-2	500	/	46.10
Vigour test - Early count in cold (200 seeds) - Sunflower .	GE-EM-TO	/	/	38.60
Radicle emergence test on 200 seeds (ISTA test) - Rapeseed.	GE-EM	/	/	80.00
Additional cost for a conductivity test on a treated seed sample.	GE-CON-SUP NEW	/	/	10.00

Physiological quality

		Size	Duration	Price
Vigour tests				
Conductivity test on 200 seeds on ISTA species.	GE-CON-GLO	500	/	59.00
The moisture content of seeds should be between 10 and 14 %, sample must be send in a sealed foil sachet with the indication of the water content, otherwise it would be determined by us before the test and invoiced (see test TE-SN-01).				

Bacteriology - Uncoated seeds only

		Size	Duration	Price
Sunflower				
<i>Pseudomonas syringae</i> pv. <i>helianthi</i>				
Agar method + pathogenicity test in case of suspect colonies.	PA-BA-87	5 000	36 days	289.00
<i>Pseudomonas cichorii</i>				
Agar method + pathogenicity test in case of suspect colonies.	PA-BA-122	5 000	36 days	295.00

Mycology - See p.8 "Seed health"

		Size	Duration	Price
Rapeseed				
<i>Leptosphaeria maculans</i> and/or <i>Plenodomus biglobosus</i> (<i>Phoma lingam</i>), <i>Alternaria brassicae</i>, <i>Alternaria brassicicola</i>, <i>Alternaria japonica</i>, <i>Sclerotinia sclerotiorum</i>, <i>Botrytis cinerea</i>, <i>Phoma</i> sp.				
Agar method (derivated from ISTA method 7-004).	PA-ES-CHO	400	19 days	110.00
<i>Leptosphaeria maculans</i> and/or <i>Plenodomus biglobosus</i> (<i>Phoma lingam</i>)				
Agar method (ISTA 7-004).	PA-PH-CHO	1 000	25 days	272.00
<i>Albugo candida</i>				
Seed wash method. UNTREATED seeds only.	PA-ALB-CHO	500	15 days	106.00
<i>Hyaloperonospora parasitica</i> (downy mildew)				
Seed wash method. UNTREATED seeds only.	PA-MI-CHO	500	15 days	106.00
Grow-out method (viability testing).	PA-MICHOGO	400	42 days	134.00
Carnation				
<i>Alternaria papavericola</i> (<i>Helminthosporium papaveris</i>), <i>Fusarium</i> sp., <i>Botrytis</i> sp., <i>Alternaria</i> sp.				
Agar method without superficial disinfection.	PA-ES-OEI	400	19 days	110.00
Sunflower				
<i>Botrytis cinerea</i>, <i>Sclerotinia sclerotiorum</i>, <i>Alternariaster helianthi</i> (<i>Alternaria helianthi</i>)				
Blotter method derivated from ISTA method 7-003.	PA-ES-TOU	400	23 days	145.00
<i>Botrytis cinerea</i>				
Blotter method (ISTA 7-003). UNTREATED seeds only.	PA-BOT-TOU	400	23 days	145.00
<i>Phomopsis helianthi</i> (<i>Diaporthe helianthi</i>), <i>Botrytis cinerea</i>, <i>Sclerotinia sclerotiorum</i>, <i>Alternariaster helianthi</i> (<i>Alternaria helianthi</i>)				
Agar method with superficial disinfection. UNTREATED seeds only.	PA-PHOTOUD	400	23 days	115.00
Agar method without superficial disinfection. Treated seeds only.	PA-PHO-TOU	400	23 days	110.00
<i>Puccinia helianthi</i> (rust)				
Seed wash method. UNTREATED seeds only.	PA-RO-TOU	500	15 days	106.00
<i>Septoria helianthi</i> (leaf spot)				
Seed wash method. UNTREATED seeds only.	PA-SEP-TOU	500	15 days	106.00
<i>Pustula tragopogonis</i> (<i>Albugo tragopogonis</i>) (white rust)				
Seed wash method. UNTREATED seeds only.	PA-ALB-TOU	500	15 days	106.00
<i>Plasmopara halstedii</i>				
SE-qPCR (method M-GEVES/SV/MO/008 COFRAC).	PA-MY-PLAS	1 000	10 days	264.00

EVALUATION OF VARIETIES

Varietal resistance

		Size	Duration	Price
Rapeseed				
Plasmodiophora brassicae pathotypes P1* / P1 / P2* or P2				
Official protocol.	PA-R-COLZA	45	/	300.00
Identification of Plasmodiophora brassicae pathotype				
From galls, per sample.	PA-RIDPLA1	/	/	488.00
From soil, per sample.	PA-RIDPLA3	/	/	732.00
Sunflower				
Plasmopara halstedii races 100 / 304 / 307 / 314 / 334 / 703 / 704 / 710 / 714 or 714-PI8				
Official protocol on 30 plants (hybrids).	PA-R-TOURN1	45	/	122.00
Official protocol on 60 plants (lines).	PA-R-TOURN2	90	/	219.00
Plasmopara halstedii				
Identification of the race.	PA-ID-PLA	/	/	392.00
Resistance to OXTP, by isolate.	PA-RIDPLA2	/	/	106.00

Different prices outside test periods. Contact SNES for information on the periods according to the species.

Genotyping by protein profiling

		Size	Duration	Price
Rapeseed				
Varietal comparison by isoenzyme electrophoresis.	BI-G-EL-COMP-C		Contact BioGEVES	
Hybrid conformity by isoenzyme electrophoresis.	BI-G-EL-CONF-C		Contact BioGEVES	
Description of a variety for 6 loci out of 10 seeds.	BI-G-EL-DVAR-C		Contact BioGEVES	
Purity test of a batch for 6 loci out of 100 seeds.	BI-G-EL-PUR-C-100P		Contact BioGEVES	

Genotyping by molecular biology

		Size	Duration	Price
Rapeseed				
Hybrid conformity - SSR.	BI-G-BM-SSR-CONF		Contact BioGEVES	
Rapeseed, Sunflower				
Varietal purity analysis - SSR - 90 seeds.	BI-G-BM-SSR-PUR-90		Contact BioGEVES	
Varietal identity control - SSR.	BI-G-BM-SSR-CID-1		Contact BioGEVES	

Technological quality: biochemicals tests

		Size	Duration	Price
Camelina, Rapeseed, Sunflower				
Fatty acid composition (CPG).	BI-B-CPG-AG		Contact BioGEVES	
Camelina, Rapeseed, White and brown Mustard				
Glucosinolate content (HPLC).	BI-B-HPLC-GLU-1		Contact BioGEVES	
Glucosinolate content (NIRS).	BI-B-NIRS-GLU		Contact BioGEVES	
Protein content (NIRS).	BI-B-NIRS-P		Contact BioGEVES	
Oil content (NIRS).	BI-B-NIRS-H		Contact BioGEVES	
Rapeseed				
Glucosinolate content on whole plants or parts of plants (HPLC).	BI-B-HPLC-GLU-2		Contact BioGEVES	
Rapeseed, Sunflower				
Oil content (NMR).	BI-B-RMN-H		Contact BioGEVES	

Detection, identification and quatification of GMOs

		Size	Duration	Price
Rapeseed				
Detection of the adventitious presence of GMOs in raw products (seeds, grains, leaves COFRAC).	BI-D-OGM1		Contact BioGEVES	
List of methods available on request.				
Identification and quantification of GMO events (COFRAC).	BI-D-OGM3		Contact BioGEVES	
List of methods available on request.				

Field tests by SEV			Price
DUS testing - Rapeseed.	SEV-DHS-COL		1490.00
DUS testing - Brown mustard.	SEV-DHS-MOU		1290.00
DUS testing - Ricine.	SEV-DHS-RIC	NEW	1490.00
DUS testing - Sesame.	SEV-DHS-SES	NEW	1490.00
DUS testing - Sunflower.	SEV-DHS-TOU		1320.00
Checking the pollen beetles trap characteristic - Rapeseed.	SEV-COL-MEL		/
Contact patrick.bagot@geves.fr			

PUBLICATIONS - Contact SNES

Method sheet		
Vigour testing – Rapeseed.		VIG-1-M
Vigour testing - Conductivity - Pea.		VIG-2-M
Germination method of Rapeseed.		GE-M-COL
Germination analysis technical sheet		
Evaluation of Sunflower seedlings.		GE-T-TOU
Evaluation of Rapeseed seedlings.		GE-FAP-BN
Technical sheet for analysis of specific purity and counting of all other seeds		
<i>Helianthus annuus.</i>		AP-C-2
<i>Glycine max.</i>		AP-C-3
<i>Brassica napus.</i>		AP-C-4
Identification data sheet of seeds and other impurities		
<i>Chenopodium</i> sp., <i>Atriplex</i> sp., <i>Amaranthus</i> sp., <i>Reseda</i> sp., <i>Myosotis</i> sp.		AP-A-04
<i>Claviceps purpurea</i> - <i>Sclerotinia sclerotiorum</i> .		AP-P-2
Collection of seeds		
Weed's identification for Brassica napus analysis.		APCS-BRA-N
Weed's identification for Helianthus annuus analysis.		APCS-HEL-A

Micro-cleaning


Micro-cleaning of seed lots consists in determining the percentage of waste in raw seed lots, from a harvest, using sorting machines, laboratory replicates of industrial machines.

This activity enables the establishment of an optimal sorting diagram for the seed lot. It is an essential step in defining the industrial process for quality sorting in the factory, whatever the species. Moreover, the commercial value of a lot is estimated through precise knowledge of its quality.

HOW IS IT DONE?

Each species has his own morphological characteristics. Each morphological characteristic is associated with a sorting device, which settings are adjusted very precisely.

The complete sorting of a seed lot is carried out on a sorting line composed of several sorting machines ensuring complementarity on many criteria. To achieve the defined standards, the knowledge of characteristics, the expertise and the know-how of operators are essential.



Sorting on a raw batch of carrot before/after micro-cleaning

EQUIPMENTS

The SNES owns 20 different types of equipment's to clean every type of seeds. Our training and expertise contribute to produce quality sorting, representative of the work provided in the factory. After the various sorting operations, analyses of specific purity and germination capacity can also be carried out at the SNES to ensure the quality of the seed lot.

Micro-cleaning for 1kg maximum – Contact SNES

Standard protocol with compliance with standards, use of micro sorting devices identical to ndustrial sorting.

Beets.	MN-SN-01
Carrot.	MN-SN-03
Cereals.	MN-SN-07
Chicory.	MN-SN-09
Cucurbits, Beans, Peas.	MN-SN-02
Small legumes, cocksfoot, fescue.	MN-SN-10
Quinoa.	MN-SN-08
Flower seeds.	MN-SN-06
Pre-sorted flower seeds.	MN-SN-06B
Other vegetables.	MN-SN-04
Other large crop species.	MN-SN-05
Supplement for non-pre-sorted or dirty lots per hour	MN-SN-11

Requests for information or analyses: contact.mn@geves.fr



Evaluation of ploidy level from plants or seeds.

Cytology analyses carried out by the SNES aim to determine the level of ploidy by chromosome counting of root meristematic cells and/or flow cytometry. Ploidy defines the number of chromosome copies of a cell. The level of ploidy is characteristic of the species or variety. These analyses can be carried out from seeds or from plants on many species.

FLOW CYTOMETRY

Flow cytometry is a technic based on the marking of DNA with fluorochromes. The cytometer allows a precise measurement of the amount of fluorescence emitted by the cells after marking and excitation by a light beam. The measurement of the quantity of fluorescence emitted will then be compared to a control with a known level of ploidy. This will allow to conclude on the ploidy level of the tested sample.

Flow cytometry is mainly used to determine the level of ploidy of a series of plants and variety. In some cases, flow cytometer is also used to identify species with a very similar morphology or mutilated or poorly formed seeds.




MICROSCOPY

Chromosomal counting by microscopy is a technic that also makes it possible to define the level of ploidy. This is an essential step for species which do not have a reference for cytometry. Chromosome counting is carried out on meristematic root cells whose mitotic division has been blocked at the metaphase stage. The chromosomes are then observed and counted using a phase contrast microscope.



Metaphase cells of *Festulolium*



Metaphase cells of *Gardenia*

Requests for information or analyses: contact.cyto@geves.fr

Radiography 2D and tomography


Tools for evaluating seed quality.

WHY USE 2D OU 3D RADIOGRAPHY?

Radiography is a non-destructive method that allows the internal morphology of seeds to be visualised. The objective is to understand or predict problems of physical or germinative quality. This tool also allows the phenotyping of precise characters of interest according to the request.

WHAT IS THE DIFFERENCE BETWEEN 2D RADIOGRAPHY AND TOMOGRAPHY?

2D radiography is a method that allows rapid observation of different criterias on seeds (physical damages, empty seeds, insect damages, etc.). This technology allows a qualitative diagnosis of the state of the internal morphology. The Physical Analysis laboratory is ISTA accredited for these analyses.



Empty seed



Physical damages



Insect damages


3D radiography (tomography) is a technology whose method consists of generating a 3D image of the internal structure of an object. This tool applied to seeds allows the measurement of different characteristics and to obtain very precise quantitative data. The possible applications are diverse: characterisation of genotypes/varieties/batches, quantification of pathogen/insect damages, physical damages...



Evaluation of the quality of the coating



Quantification of insect damages



Quantification of cracks on a Corn seed

		Price
2D radiography on seeds without interpretation (per digital image).	RX-IS-03	Contact SNES
2D image interpretation for internal morphological characterisation, the detection of insect/physical damage (%).	RX-SUP-03	Contact SNES
Supply of one 2D image in .jpg format, for a particular determination or for measurements.	RX-SUP-RA	Contact SNES
For any request for information or analysis in 3D tomography:	RX-IS-05	Contact SNES
- Measurements of coating characteristics;		
- Insect damages detection and associated volume measurements;		
- Measurement of internal seed constituents ;		
- Measurement of seed filling rate ;		
- Detection and measurement of mechanical cracks and other damages ;		
- Other measures of interest.		
Visual or automatic image processing.	RX-SUP-05	Contact SNES
Supply of a batch of 2D images in jpg format.	RX-SUP-TO	Contact SNES

Requests for information or analyses: bea-tomographe@geves.fr

Biostimulation, Biocontrol, evaluation of treatment and the realization of tests under controlled conditions



GEVES, member of the Biocontrol Consortium and RMT BESTIM, provides its expertise for the characterization and evaluation of the effect of your treatments applied to seeds or seedlings.

Whether for biocontrol or biostimulant products, physical or chemical treatments, GEVES proposes to support you in the development of suitable evaluation methodologies and/or to carry out tests under controlled conditions. For *in vitro* and/or *in vivo* screening, or for the evaluation of disinfection, protection, stimulation or phytotoxicity effects, of treatment products in preventive and/or curative application.

SNES does not supply seeds or products. The sample size to be provided is 1 000 seeds per modality for selectivity and effectiveness assays. If only effectiveness trials are required, the sample size will be determined in relation to the project and the initial request.

GEVES is a multidisciplinary team of experts in seed quality and varietal resistance evaluation. It develops new evaluation methods in these areas that are recognized internationally. With this expertise, GEVES participates in research programs on biostimulation and biocontrol of seeds.

APPLICATION OF PRODUCTS ON SEEDS

Treatment of seeds is possible depending on the type of treatment and use. For more information, please contact SNES.
Depending on the quantity of seeds to be treated and the formulation of the product, 3 different tools can be used: Orbital agitator (20 g, liquid formulation); Hege bowl (500 g); Satec Concept treatment machine (up to 2 kg).

		Price
Application of a seed treatment product by SNES in the case of a treatment evaluation.	GE-APPLI	47.80

SELECTIVITY TESTS

		Price
To check the selectivity of a treatment, the germination test should be determined on 400 seeds.		
Cereals.	GE-FG-01-4	53.00
Vegetables (except species below).	GE-FG-18-4	68.00
Vegetables - Celery, Faba bean, Corn salad, Parsley.	GE-FG-22-4	75.00
Oilseeds - Rapeseed.	GE-FG-17-4	56.00
Oilseeds - Sunflower.	GE-FG-16-4	62.00

The percentage of seedlings showing phytotoxicity symptoms can be provided specifically.		
All species.	GE-FG-PCPL	24.00

EVALUATION OF TREATMENTS FOR SEED AND PLANT PROTECTION

		Contact
Evaluation of phytochemical products.	PA-EVAL-CHI	service.clients@geves.fr
Evaluation of biocontrol products, physical treatments and disinfection process.	PA-EVAL-BI	

Few examples of available pathosystems⁴

Wheat	<i>Microdochium nivale</i> . <i>Tilletia caries</i> . <i>Fusarium</i> spp. (<i>Fusarium graminearum</i> , <i>Fusarium avenaceum</i> , <i>Fusarium culmorum</i>). <i>Puccinia striiformis</i> , <i>Puccinia triticina</i> . <i>Pythium irregulare</i> .	Maize	<i>Fusarium graminearum</i> . <i>Fusarium verticillioides</i> . <i>Pythium ultimum</i> . <i>Rhizoctonia solani</i> .
		Sunflower	<i>Botrytis cinerea</i> . <i>Plasmopara halstedii</i> . <i>Verticillium dahliae</i> . <i>Fusarium moniliforme</i> .
Rapeseed	<i>Plasmodiophora brassicae</i> . <i>Phoma lingam</i> . <i>Fusarium oxysporum conglutinans</i> . <i>Alternaria brassicicola</i> .		
Beet	<i>Aphanomyces cochlioides</i> . <i>Pythium</i> sp.	Lettuce	<i>Fusarium oxysporum</i> race 1 et 4.
		Tomato	<i>Meloidogyne incognita</i> . <i>Rhizoctonia solani</i> .
Cabbage	<i>Hyaloperonospora brassicae</i> .	Spinach	<i>Pythium aphanidermatum</i>

⁴Available pathosystems presented in evaluation of varieties as well as in seed health quality are all adaptable for evaluation of treatments.

EVALUATION OF BIOSTIMULANT PRODUCTS FOR GERMINATION AND/OR SEEDLING GROWTH

Two types of trials can be performed either under favourable conditions for the plant species (i.e. those applied in selectivity trials), or under penalizing conditions (i.e. abiotic stress).

		Price / Contact
Monitoring of seed germination on 200 seeds		
Germination energy (intermediate count; in addition to germination capacity).	GE-EG	20.700
Counting dates for energy vary according to the species.		
Germination kinetics by image analysis (average rate of germination, kinetic curve).	GE-CI	sylvie.ducournau@geves.fr

Biostimulation, Biocontrol, evaluation of treatment and the realization of tests under controlled conditions



Seedling development tests

Corn root length evaluation after 7 days germination at 15°C (4 replicates of 20 seeds).	GE-RAC	80.00
Dry biomass of 4 replicates of 20 seedlings after germination test.	GE-BIOM	57.00
Total length and root classification per diameter (4 replicates of 20 seedlings).	GE-CLASS	78.00
Growth kinetics by image analysis (Eloncam bench).	GE-ELON	sylvie.ducournau@geves.fr

Disease test supplies : inoculum and reference material

The available pests are listed on www.geves.fr. Specific preparation of isolate can also be done in the form of inoculum or artificially contaminated seeds.
Warning: For the handling of quarantine pests, laboratories must be authorised to hold (Regulation 2019/829)

Pests' inoculum

	Price
One tray of 140 seedlings infected by a race of stripe/yellow rust (<i>Puccinia striiformis</i>). Contact jean-philippe.maigniel@geves.fr .	PA-AD-ROU2 136.00
Contact SNES	
Suspension of <i>Ditylenchus dipsaci</i> larvae (exemple of price: 1 335€ to inoculate 9000 plants).	PA-AD-DIT /
Inoculum supplied in Petri dishes.	PA-AD-INOC /
Inoculum supplied as contaminated cotyledons, plants or fresh leaves.	PA-AD-INOP /
Inoculum supplied in artificially contaminated grains that have lost germination capacity or artificially contaminated seeds that have maintained a germination capacity.	PA-AD-INOG /
Inoculum supplied in liquid suspension.	PA-AD-INOL /
Cyst of <i>Globodera pallida</i> ⁴⁰ or <i>Globodera rostochiensis</i> ⁴⁰ .	PA-AD-GLO /
Cyst of <i>Heterodera schachtii</i> .	PA-AD-HET /

Reference material: pests

	Price
Pest isolates and populations	
Specific preparation of reference isolate in Petri dishes (2 dishes/strain), dessicated (Bos) (1 g) or population of free living nematodes or cysts (around 20).	PA-AD-FOU 175.00
Specific preparation of 5 g of galls of <i>Meloidogyne incognita</i> (for inoculation of 15 to 20 plantlets).	PA-AD-MEL 188.00
Specific preparation of 5 g of galls of <i>Plasmodiophora brassicae</i> (for inoculation of 50 to 100 plantlets).	PA-AD-PLAD 188.00
100 mg of a vial of spores of stripe rust (<i>Puccinia striiformis</i>) or brown rust (<i>Puccinia recondita</i>) or crown rust (<i>Puccinia coronata</i>).	PA-AD-ROU 65.00
50 to 100 seeds of germinated Sunflower seeds contaminated by <i>Plasmopara halstedii</i> (downy mildew).	PA-AD-TOU2 188.00
Lettuce seedlings infected with 1 race of <i>Bremia lactucae</i> , 30 cotyledons in the test period.	PA-AD-BREM 188.00
<i>Erysiphe pisi</i> , 2 seedlings with presence of sporulation.	PA-AD-ERYS 188.00
2 cotyledons of Melon infected by 1 race of <i>Golovinomyces cichoracearum</i> (powdery mildew).	PA-AD-GOL 188.00
2 cotyledons of Melon infected by 1 race of <i>Podosphaera xanthii</i> (powdery mildew).	PA-AD-POD 188.00
2 Lettuce seedlings infected with <i>Nasonovia ribisnigri</i> race Nr: 0 with presence of apterae.	PA-AD-NAS 188.00
30 leaves of Basil contaminated by <i>Peronospora belbahri</i> .	PA-AD-BEL 188.00
Controls/differential hosts vegetables (MATREF) for one sowing unit (1 g for Bremia, 200 seeds for other pathogens)	
Complete pack of differential hosts for <i>Bremia</i> of Lettuce .	PA-HD-BLAI 381.00
Carrot.	PA-HD-CAR 52.00
Squash.	PA-HD-COU 92.00
Cabbage.	PA-HD-CHO 92.00
Bean.	PA-HD-HAR 72.00
Lettuce.	PA-HD-LAI 72.00
Corn salad.	PA-HD-MAC 52.00
Melon.	PA-HD-MEL 92.00
Capsicum.	PA-HD-PIM 106.00
Pea.	PA-HD-POI 72.00
Tomato.	PA-HD-TOM 92.00
Tomato Rootstock.	PA-HD-PGTO 106.00

INTER-LABORATORY PROFICIENCY TESTS (ILPT)

Inter-laboratory proficiency testing (ILPT) is used to evaluate the ability of a laboratory to perform a method.
For more information, visit our website www.geves.fr.

The organisation of comparative tests includes planning and delivery of documents to participants, preparation of samples, definition of a reference, interpretation of results and issuing of a final report.
Not included : supply of seeds cost (billed at actual price).

Inter-laboratory proficiency tests – PT & Other comparisons (basis 10 participants)

	Price / Participant*	Contact
Purity by sample - All species.	From 240.00	eil.semences@geves.fr
Germination by sample - All species.	From 150.00	
Moisture content by sample - All species.	From 205.00	
Thousand-seed weight by sample - All species.	From 210.00	
Seed health.	Contact SNES	
Organisation of inter-laboratory comparisons tests on request.	Contact SNES	
Supply of reference samples for internal laboratory control.	Contact SNES	
Expertise in the case of atypic results on seeds assay or deviation found (control card for recognized laboratories).	Contact SNES	
* Indicative price, may be increased in the event of a low number of participants.		

AUDITS

According to various standards (ISTA, recognition in the context of certification), laboratory audits can be carried out to analyse your organisation.
One-day audit includes an analysis of a pre-audit file, the conducting of the audit as well as the audit report.
Contact : Fabienne BRUN (audit.semences@geves.fr).

REFERENCE MATERIALS AND DOCUMENTS SUPPLIES

Find all our publications and reference materials in the different chapters of the price list and on our website www.geves.fr.

TRAININGS - EXPERTISES

	Price	Contact
To apply for training		
Technical training with SNES.	Contact SNES	formation.semences@geves.fr
Seed quality analysis, inter or in-company, at SNES or on-site.		
Technical training with BioGEVES.	Contact BioGEVES	biogeves.analyses@geves.fr
Technical training with SEV.	Contact SEV	rachel.tessier@geves.fr
For the setting up of an expertise in an international context		
Technical expertise and visit.	Contact SNES	secretariat.direction@geves.fr
Collective reading of results		
Collective reading of germination results, details of abnormalities and debriefing of the results reading, per sample.	GE-LECT 110.00	Inr.semences@geves.fr

Article 1 – General Information

The present general terms and conditions of sale apply for services which appear in the GEVES price list (Variety and Seed Study and Control Group), public interest group governed by the constitutive convention of July 17, 1989, having made the object of an approval order dated July 17, 1989 and its modified constitutive convention of April 17, 2014 whose head office is located 25 rue George Morel, CS 90024, 49071 Beaucouzé Cedex FRANCE.

The main official missions of GEVES are to conduct studies or analyses of:

- characterization and/or identification of varieties,
- agronomic quality of varieties,
- physical, physiological and sanitary control of seed.

Article 2 - Object and field of application

The analyses carried out within the framework of any order are in accordance with the present general terms of sale.

The placing of an order implies full acceptance of these general terms of sale which prevail on any other document of the customer, unless otherwise agreed between the customer and GEVES.

Geves reserves itself the right to modify the present general terms of sale.

Article 3 - Orders

3-1) Order taking

The orders are definitive only when the present general terms of sale are full accepted by the legal representative of the customer or any person duly appointed for that purpose.

The customer has to respect the terms of the supply of material described in the GEVES price list.

3-2) Modification of the order

The terms of the orders transmitted to GEVES are irrevocable for the customer, except written acceptance from GEVES. On this assumption, GEVES will not be held anymore by the deadlines agreed upon at the moment of the initial order.

3-3) Refusal of order

If a customer places an order to GEVES, without having carried out the payment of preceding orders despite reminder from GEVES, GEVES can repudiate the order, without the customer being able to claim any allowance, whatever the reason.

GEVES reserves itself the right to refuse any order.

Article 4 - Delivery of the results

4-1) Delivery time

The delivery time of the results are given only on a purely informative and indicative basis; those depending in particular on arrival of the orders, the respect of the conditions of preparation of the samples sent by the customer (weight, number, packing for example), request for more information, or complementary analyses. For each service, useful information is available on the GEVES website (www.geves.fr). In any assumption, the delivery within the deadlines can intervene only if the customer is up to date of his obligations with GEVES.

GEVES shall endeavor to meet agreed deadlines with the customer.

Delays of delivery of results cannot lead to any penalty or allowance, nor to justify the cancellation of the order.

4-2) Terms

The delivery of the results is made by paper form or by electronic way.

4-3) Complaints

The complaints are to be forwarded to the customer service of GEVES whose contact appears in the GEVES price list. GEVES acknowledges to the customer the receipt of the complaint, registers it, analyzes it to decide on an appropriate treatment and guarantees its implementation as soon as possible. GEVES shall inform the plaintiff of the progress of the claim. At the end of the processing of the complaint, the conclusions are notified to the plaintiff.

Article 5 - Return

Except explicit indication of the customer validated by the customer service of GEVES whose references are indicated on the GEVES price list, no material submitted for analysis will be returned to the customer.

Article 6 - Guarantee - Liabilities

6-1) Scope

GEVES provides services. As such, GEVES is under the obligation of best effort. It could not be held responsible for non-satisfactory results from the point of view of the customer, for causes of which it does not have the control. GEVES will have, if necessary, to issue reserves on the results.

6-2) Exclusions

If the elements provided by the customer do not allow the fulfillment of the ordered service, GEVES will inform the customer. If this situation persists, the liability of GEVES could in no way be required.

In particular, GEVES could not be held responsible for sampling (except for Orange ISTA Certificates for which GEVES is responsible for sampling), the collecting, the conditioning and the transport of the samples, which is the customer's entire liability. Moreover, the samples received at GEVES shall be in good condition of conservation and shall not present identified risk for the staff of GEVES or for the environment. When a phytosanitary treatment has been applied, the customer shall inform GEVES.

The customer waives all right to take any action against GEVES for all losses or all direct or indirect damages resulting from the services, as well as in the situation where the services of GEVES would be unsuitable for the uses of the customer.

Article 7 - Tariff - Price

The rates applied to the orders are those indicated in the GEVES price list, unless particular conditions negotiated with GEVES.

Any order made on the basis of a quotation established by GEVES will be taken into account only after signature of the quotation, by the legal representative of the customer or any person duly elected for that purpose.

Prices are indicated exclusive of VAT, based on current rates and will be increased by current taxes of all types on the invoicing date.

Amounts are indicated in Euros. Payments should be made in Euros.

The transport fees of the samples provided to GEVES for analysis are always at the charge of the customer. For more information : <https://www.geves.fr/information-for-all-species/recommendations-for-sending-seeds-and-seedlings-to-geves/>

Article 8 - Invoicing

Any order, even if it is cancelled during the execution of the service, will give rise to an invoice. Elements of identification of the customer and ordered services are indicated on the invoices. The customer service of GEVES whose references appear in GEVES price list can be contacted for any question related to the invoice.

Article 9 - Payment

9.1) – Time for payment

The maximum payment time is 60 days from the date of emission of the invoice.

9.2) – Terms

The payments shall be made:

- by French postal or bank check or credit or postal transfer addressed to: GEVES, 25 rue George Morel, CS 90024, 49071 Beaucouzé Cedex FRANCE

- by signed and accepted draft or promissory note.

GEVES does not authorize any discount for cash payment or on a former date to those resulting from these general terms of sale.

9.3) - Delay of payment

Any sum still not paid at the due date by the customer will give rise to the payment of penalties at the rate of the European Central Bank plus 10 points and a lump sum of 40 Euros for recovery costs in compliance with Decree n° 2012-1115. These penalties are payable automatically without prior notice from GEVES on the date following the due date. Moreover, GEVES reserves itself the faculty to apply to the competent court of law to stop this non-fulfillment, under penalty per day of delay.

Article 10 - Confidentiality - Rights of ownership

GEVES guarantees the confidentiality of the results of analysis, unless the detection of a quarantine pathogen. Under such circumstances, GEVES has to communicate immediately to the qualified services of the ministry in charge of agriculture all information relating to the material in which the quarantine pathogen was identified.

This exception also applies to other situations, such as the detection of fortuitous presence of GMO, if the regulation in force imposes to GEVES to communicate information to the qualified services of the French State.

The results provided by GEVES can in no way being modified, reproduced or diffused even in a partial way, to third party, without the preliminary authorization of GEVES. The reports provided by GEVES' laboratories can in no way being modified, reproduced or diffused in a partial way, to third party, without the preliminary authorization of GEVES. Duplicates can be obtained on request at the customer service of GEVES whose references are indicated on GEVES price list.

Article 11 - Personal data

For any processing of personal data carried out in connection with this Quotation, the Parties shall comply with Regulation (EU) 2016/679 of the European Parliament and of the Council of 27 April 2016 on the protection of individuals with regard to the processing of personal data and on the free movement of such data, as transposed into French Law No 2018-493 of 20 June 2018.

Each Party represents and warrants to the other Party that it will strictly comply with GDPR for any processing of personal data in connection with this Quotation.

Personal data collected and processed by the Parties in the context of this contractual relation are necessary for its execution (legal basis). They are kept for a period of 10 years (retention period) from the date of the end of the Quotation.

Article 12 – Agreement of proof

In accordance with Articles 1316-1 to 1316-4 of the Civil code, documents in electronic form are admitted as evidence in the same way as paper-based documents.

The Parties expressly agree that this Quotation concluded in electronic form and signed in a dematerialized way, as well as the documents relating to it:

- Constitute the original documents ;
- Are drawn up and kept under conditions that guarantee their integrity ;
- Are perfectly valid between them. As such, the Parties undertake not to challenge the validity, enforceability or probative value of this Quotation and the documents relating to it on the basis of their conclusion or transmission by electronic means ;
- Constitute written evidence within the meaning of the aforementioned Articles 1316-1 to 1316-4 of the Civil Code. Thus, this Quotation concluded by electronic means is deemed to be evidence of the content of the Quotation, of the identity of the signatories and of their consent to the obligations arising from the Quotation.

Article 13 - Force majeure

The emergence of a case of force majeure causes the suspension of the execution of the obligations of GEVES.

Article 14 - Attribution of jurisdiction

For all disputes relating to the services carried out by GEVES, including those relatives to the interpretation of the general terms of sale, the jurisdictions of Angers shall be qualified.

Article 15 - Applicable law

The present general terms of sale, and any question which it would omit to treat, shall be exclusively governed by the French law.

By appending his signature on the Quotation, the customer:

- recognizes and accepts without reserve the present general terms of sale and that those will apply to all the further orders until communication of new general terms of sale by GEVES,
- declares that he has read and accepts them,
- waives its own purchasing conditions.

JUR/VEN/E/006 Indice : 4

Our publications and Reference material



More information at www.geves.fr

Contact : lnr.semences@geves.fr



GEVES
Expertise & Performance

Groupe d'Étude et de contrôle
des Variétés Et des Semences